1974 ANNUAL INDEXES

Textile Research Journal
Volume 44

MONTH	PAGES	MONTH	PAGES
January	1–76	July	483–560
February	77–154	August	561–638
March	155–232	September	639–732
April	233–326	October	733–826
May	327–404	November	827–920
June	405–482	December	921–1014

AUTHOR AND TITLE INDEX

Abdou, A. W. Relation Between the Rotproofing Properties and Chemical Structure of Some Reactive Compounds and their Chromophoric Derivatives. Part I: Synthesis of Rotproofing Agents and their Application on Cotton Fabrics (*Amin, Kamel*) . . . 568

Abhiraman, A. S. Mechanics of Crimp Formation in a Bicomcomponent Fiber Model . . . 319

Fiber Migration as a Semi-Markov Process (*George*) . . . 736

Abranovic, Wynn A. Production Time Estimates for Spooled Fabrics . . . 574

Achwal, W. B. Characterization of Crosslinks by the Yarn Untwisting Index Using Cadoxen (*Soudagar*) . . . 919

Afify, E. M. Heat Transfer in False-Twist Texturing (*Egambaram, El-Shiekh*) . . . 803

Ajgaonkar, D. B. The Performance of Open-End, Twistless, and Ring Yarns in Weft-Knitted Fabrics (*Lord, Mohamed*) . . . 405

Alger, Kenneth W. The *In Situ* Formation and Photosensitivity of Polymeric Stilbene Fluorescent Brighteners on Wool (*Needles, Seiber*) . . . 315

Algie, J. E. The Felting of Wool Fabrics Washed at Various Values of pH, and the Isoelectric Point Determined by Streaming Potential Measurements (*Baird, Foulds, Robinson*) 767

Alurkar, R. H. A Study of the Soiling of Textiles and Development of Antisoiling and Soil-Release Finishes: A Review (*Venkatesh, Dweltz, Madan*) . . . 353

Amin, Sanaa A. Relation Between the Rotproofing Properties and Chemical Structure of Some Reactive Compounds and their Chromophoric Derivatives. Part I: Synthesis of Rotproofing Agents and their Application on Cotton Fabrics (*Abdou, Kamel*) . . . 568

Andrews, Frederick R. Elongation of Flame-Retardant Cotton During Combuston (*Weiss, Wade*) . . . 892

Arney, William C. Reactivity of Groups in Dimethyloldihydroxyethyleneurea (*Vail*) . . . 400

Cellulosic Flame Retardants Prepared Directly from Elemental Phosphorus (*Kuryla*) . . . 921

Arons, Gilbert N. Sorptive Textile Systems Containing Activated Carbon Fibers (*Macnair, Coffin, Hogan*) . . . 874

Arora, R. K. Scope and Practical Importance for Eliminating Highly Medullated Fibers in Indian Fleeces (*Chatterjee*) . . . 325

Arthur, Jett C., Jr. Photoinitiated Crosslinking of Modified Cotton. Part I: Acrylated and Methacrylated Cotton Cellulose (*Portnoy, Nelson, Margavio*) . . . 449

Ash, John F. Dyebath Application of Chlorendic Acid for Flame-Resistant Wool (*Friedman, Fong*) . . . 555

Dyebath Application of Flame Retardants for Flame-Resistant Wool (*Friedman, Fong*) . . . 994

Back, Ernst L. An Indication of Molten Cellulose Produced in a Laser Beam (*Nordin, Nyrén*) . . . 152

Additional Information for "An Indication of Molten Cellulose Produced in a Laser Beam" (*Nordin, Nyrén*) . . . 915

Baird, K. The Felting of Wool Fabrics Washed at Various Values of pH, and the Isoelectric Point Determined by Streaming Potential Measurements (*Algie, Foulds, Robinson*) . . . 767

Balasubramanian, N. Strength and Elongation of Cotton, Polyester, and Polyester/Cotton Blends at Different Stages of Manufacture (*Nerurkar*) . . . 106

Effect of Mechanical Processing Variables in Drawing on Sliver Irregularity (*Bhatnagar*) . . . 111

Barella, A. Introduction to the Influence of Rotor Cleanliness on the Properties of Open-End Yarns (*Vigo*) . . . 612

The Efficiency of the B-V Electronic Hairiness Meter for Cotton Yarns (*Vigo*) . . . 824

Batra, Subhash K. A Generalized Model for Crimp Analysis of Multicomponent Fibers. Part I: Theoretical Development . 377

A Generalized Model for Crimp Analysis of Multicomponent Fibers. Part II: An Illustrative Example . . . 386

Beevers, R. B. The Effect of Low Doses of Co^{60} Gamma Radiation on some Physical Properties and the Structure of Wool Fibers (*McLaren*) . . . 986

Benerito, Ruth R. Addition of Lead from Sodium Plumbite Solution to Modified and Unmodified Cottons (*Ward*) . . . 12

Kinetics of the Reaction of Cotton with Dimethylolethylcarbamate (*Berni, Coll, Gonzales*) . . . 47

Modification of Cotton and Cotton-Polyester Blends with Epoxides (*Soignet, Berni, Pilkington*) . . . 225

Urea-Phosphoric Acid Hydrolysis of Cotton Modified with N-Methylolated Ethylene Ureas (*Jung, Gonzales, Berni*) . . . 670

Berni, Ralph J. Kinetics of the Reaction of Cotton with Dimethylolethylcarbamate (*Benerito, Coll, Gonzales*) . . . 47

Modification of Cotton and Cotton-Polyester Blends with Epoxides (*Soignet, Benerito, Pilkington*) . . . 225

Urea-Phosphoric Acid Hydrolysis of Cotton Modified with N-Methylolated Ethylene Ureas (*Jung, Gonzales, Benerito*) . . 670

Bertoniere, Noelie R. Effects of Polymerization Parameters of Methylolated Melamines Upon the Wet-Fixation Durable-Press Process for Treating Cotton Fabrics (*Blouin, Martin, Rowland*) . . . 140

The Development of Abrasion Resistance and Breaking Strength in Durable-Press Cotton Fabrics (*Rowland, Martin*) . . . 595

An Effect of a Pretreatment of Fabric upon the Development of Durable-Press Properties in Cotton Fabrics by the Wet-Fixation Process (*Blouin, Martin, Rowland*) . . . 630

Bhatnagar, V. K. Effect of Mechanical Processing Variables in Drawing on Sliver Irregularity (*Balasubramanian*) . . . 111

Black, David H. Shrinkage Control for Cotton and Cotton Blend Knitted Fabrics . . . 606

Blakemore, J. E. Static Electricity in Carpets . . . 459

Blouin, Florine A. Effects of Polymerization Parameters of Methylolated Melamines Upon the Wet-Fixation Durable-Press Process for Treating Cotton Fabrics (*Bertoniere, Martin, Rowland*) . . . 140

An Effect of a Pretreatment of Fabric upon the Development of Durable-Press Properties in Cotton Fabrics by the Wet-Fixation Process (*Bertoniere, Martin, Rowland*) . . . 630

Boone, Jay D. Heat Transfer from Flammable Fabrics . . . 399

Boudouris, G. Depolarization Thermal Currents in Keratin Fibers (*Leveque, Garson*) . . . 504

Boyd, Edie G. Photochemistry of Dyes on Synthetic Fibers. Part II: Effects of Light/Dark Cycles and Temperature (*Irick*) . . . 558

Boylston, Eileen K. A Microscopical Survey of Flame-Resistant Cotton Fabrics. Part I: Treatments Based on THPOH·NH_3 (*Goynes, Muller, Trask*) 197
Brady, P. R. The Absorption of Certain Metal Ions by Wool Fibers (*Freeland, Hine, Hoskinson*) 733
Bridgeman, Ian. Photochemical Degradation of Aminoazobenzene Disperse Dyes in Ethanolic Solution. Part I: Effect of Concentration, Water, and Temperature (*Peters*) 639
Photochemical Degradation of Aminoazobenzene Disperse Dyes in Ethanolic Solution. Part II: Effect of pH and Dye Structure (*Peters*) 645
Bryant, G. M. Relation of Lubricant Structure to Frictional Properties: Polyoxyalkylene Monoether Lubricants on Filament Yarns (*Park, Seefried*) 692
Bullock, A. L. The Fate of a Monofunctional N-Methylol Reagent on Pad-Dry-Cure Reaction with Cotton (*Rowland, Cirino, Wade, Mason*) 220

Cannon, S. L. Analysis of Transport Phenomena Associated with Through-Convective Drying of a Textile Material (*Johnson, Meenaghan*) 827
Carnaby, G. A. A Technique for Measuring the Specific Volume of a Yarn, with Particular Reference to Wool Carpet Yarns . 121
Cednäs, Margareta Studies of Wrinkling Properties of Wool Fabrics. Part I: Treatments to Improve Wrinkle Recovery of Wool Fabrics (*Shishoo, Holst-Wallin*) 30
Cegarra, J. Comparative Study of the Titrating Methods of Acidic Groups in Acrylic Fibers (*Puente, Valldeperas*) 472
Chaikin, M. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part I: Prediction from Theoretical Considerations (*Young, Nossar*) 464
Chapman, B. M. The Bending and Creasing of Multicomponent, Viscoelastic Fiber Assemblies. Part III: The Mechanics of a Two-Dimensional Assembly of Generalized Linear Viscoelastic Fibers of Different Types 306
An Apparatus for Studying the Rheological Properties of Fabrics and Films in Bending 396
A Model for the Crease Recovery of Fabrics 531
Chatterjee, R. Scope and Practical Importance for Eliminating Highly Medullated Fibers in Indian Fleeces (*Arora*) . . . 325
Chatterjee, S. M. Periodate Oxidation of Benzoylated Cotton . . 713
Cheng, C. C. Humidity and Heat Effects on the Coefficient of Energy Dissipation (*Duckett*) 365
Azimuthal Intensity Profiles of Scattered Light from the Surfaces of Convoluted Cotton Fibers (*Duckett*) 650
A Continuum Mechanics Approach to Twisted Yarns (*White, Duckett*) 798
Cirino, Vidabelle O. The Fate of a Monofunctional N-Methylol Reagent on Pad-Dry-Cure Reaction with Cotton (*Rowland, Bullock, Wade, Mason*) 220
A Preliminary Report on the Hydrophilic Characteristics of Poly(Calcium Acrylate)-Cotton (*Rowland*) 479
Clardy, E. K. Measurement of Dyeing Defects in Continuous-Filament Yarns (*Sanford, Miller*) 952
Coad, J. R. Changes in the Crosslinking of Keratin Fibers as Revealed by Stress-Relaxation Studies (*Mottram*) 557
Coffin, Laurance G. Sorptive Textile Systems Containing Activated Carbon Fibers (*Arons, Macnair, Hogan*) 874
Cohen, George L. Observations of the Internal Structure of the Human Hair Cuticle Cell by SEM (*Hunter, Garcia, Newman*) 136
Coll, Emory E. Kinetics of the Reaction of Cotton with Dimethylolethylcarbamate (*Berni, Benerito, Gonzales*) 47
Collins, J. D. The Torsional Rigidity of Wool Fibers Extended in Water (*Feughelman*) 627
Creely, J. J. Structure and Stability of Chloroform-Included Cotton Cellulose (*Wade*) 941
Crow, R. M. The Automatic Control of the Drying of Textile Fabrics (*Slater*) 309

Dale, B. J. 220-MHz Proton Magnetic Resonance Spectra of Homogeneous High-Sulphur Fractions of Reduced Wool (*Jones*) 778
Day, M. An Experimental Procedure for Determining the Flammability of Carpets Using the TRI Flammability Analyzer (*Mitton, Wiles*) 5
Effect of Light on the Flammability of Nomex Fabric (*Wiles*) 888
De, Dipak Effect of Heater Temperature and Contact Time on the Tensile Properties of Friction-Twisted Texturized Yarns (*Mukhopadhya, Majumdar*) 91
de Boer, J. J. The Permanent Deformation of Mercerized Single Cotton Fibers After Tensile Loading and Compression . . . 883
de Gruy, Ines V. Catalytic Effects and Selective Hydrolysis of Dimethylol Ethyleneurea and Formaldehyde Crosslinks in Finished Cotton (*Reinhardt, Kullman*) 687
Dogu, Ismail Response to: "The Distribution of Transverse Pressure in a Twisted Yarn Allowing for the Fiber Migration and Variation of Fiber Packing Density. Comments by (*Hearle*) 395
Drake, George L., Jr. The Effect of pH on Flame-Retardant Finishes for Cotton Prepared from THPC and Various Bases (*Frank*) 292
The Effect of Dyes on the Flammability of Cotton Fabric (*Segal, Timpa*) 839
The Flammability of Cotton Fabrics Dyed with Indigo Dyes (*Timpa, Segal*) 858
Duckett, K. E. Humidity and Heat Effects on the Coefficient of Energy Dissipation (*Cheng*) 365
Azimuthal Intensity Profiles of Scattered Light from the Surfaces of Convoluted Cotton Fibers (*Cheng*) 650
A Continuum Mechanics Approach to Twisted Yarns (*Cheng, White*) 798
Dweltz, N. E. A Study of the Soiling of Textiles and Development of Anti-Soiling and Soil-Release Finishes: A Review (*Venkatesh, Madan, Alurkar*) 352
Measurement of Crease-Recovery Properties of Yarns and Fibers (*Venkatesh*) 428

Egambaram, T. Heat Transfer in False-Twist Texturing (*Afify, El-Shiekh*) 803
El-Shiekh, Aly The Dynamic Modulus and Some Other Properties of Viscose-Polyester Blends 343
Heat Transfer in False-Twist Texturing (*Egambaram, Afify*) . 803
The Bending Characteristics of Yarns. Part I: Monofilaments (*Kim, Hersh*) 958
El Sourady, Abdel S. The Relative Contribution of Fiber Properties to Variations in Yarn Strength in Upland Cotton, *Gossypium hirsutum* L. (*Worley, Stith*) 310
Ezuddin, K. H. Scientific Inference and the Donnan Membrane Theories of Dyeing (*McGregor*) 43

Feughelman, M. A Note on Some Molecular Interactions Involved in the Aging of Keratin Fibers (*Robinson, Rigby*) . . 324
An Electron Spin Resonance Study of the Copper(II) Interaction with Wool-Keratin. Part III: A Kinetic Model for the Cu(II) Wool Interaction (*Kokot, Golding*) 523
The Torsional Rigidity of Wool Fibers Extended in Water (*Collins*) 627
Fiori, Louis A. Effect of Mixing Cottons Differing in Micronaire Reading and Carding Variables on Cotton Sliver Quality, Yarn Properties, and End Breakage (*Simpson*) . . . 327
An Analysis of Carding Efficiency and Processing Performance of Cotton/Polyester Blends (*Simpson*) 813
Fong, Willie Dyebath Application of Chlorendic Acid for Flame-Resistant Wool (*Friedman, Ash*) 555
Dyebath Application of Flame-Retardants for Flame-Resistant Wool (*Friedman, Ash*) 994
Foulds, R. A. The Felting of Wool Fabrics Washed at Various Values of pH, and the Isoelectric Point Determined by Streaming Potential Measurements (*Algie, Baird, Robinson*) . . . 767
Frank, Arlen W. The Effect of pH on Flame-Retardant Finishes for Cotton Prepared from THPC and Various Bases (*Drake*) 292
Franklin, W. E. Recurable Durable-Press Fabrics. Part IV: Hydroxy Acids with N-Methylol Reagents for Producing Recurable Durable-Press Fabrics (*Madacsi, Rowland*) 173
Characteristics of Internally Buffered N-Methylol Reagents and Their Reactions with Cotton (*Rowland, Wade*) 869
Freeland, G. N. The Absorption of Certain Metal Ions by Wool Fibers (*Brady, Hine, Hoskinson*) 733
Friedman, Mendel Interaction of Wool with Metal Cations (*Masri, Reuter*) 298
Dyebath Application of Chlorendic Acid for Flame-Resistant Wool (*Ash, Fong*) 555
Partly-Reduced-Alkylated Wool (*Tillin*) 578
Reaction of Wool with Zinc Acetate in Dimethylformamide (*Koenig, Muir*) 717
Dyebath Application of Flame Retardants for Flame-Resistant Wool (*Ash, Fong*) 994

Garcia, Mario L. Observation of the Internal Structure of the Human Hair Cuticle Cell by SEM (*Hunter, Newman, Cohen*) 136
Garson, J. C. Depolarization Thermal Currents in Keratin Fibers (*Leveque, Boudouris*) 504
George, Waller Microfibers Formed *Ab Initio* in Extensional Melt Flows (*Tucker*) 56
Fiber Migration as a Semi-Markov Process (*Abhiraman*) . . . 736
Giles, Charles H. Binding of (1:1)-Metal-Complex Dyes to Proteins, Studied by the Monolayer Method (*MacEwan, McIver*) 580
A Study of the Reaction Between Protein Monolayers and Wool-Reactive Dyes (*McIver*) 587
Dye-Cellulose Binding Mechanisms. Response 730
Golding, E. M. An Electron Spin Resonance Study of the Copper (II) Interaction with Wool-Keratin. Part III: A Kinetic Model for the Cu(II) Wool Interaction (*Kokot, Feughelman*) 523

Gonzales, Elwood J. Kinetics of the Reaction of Cotton with Dimethylolethylcarbamate (*Berni, Benerito, Coll*) 47
Gordon, P. G. The Reaction of Wool with Potassium Hexafluorozirconate (*Roberts*) 414
Goynes, Wilton R. A Microscopical Survey of Flame-Resistant Cotton Fabrics. Part I: Treatments Based on THPOH-NH_3 (*Boylston, Muller, Trask*) 197
Grover, J. M. The Distribution of End Breaks Over the Chase of a Cop-Build Ringframe: The Effects of Winding-On Angle and Ringrail Movement (*Subramanian, Salhotra*) 791
Guion, T. H. The Distribution of Dye and Inorganic Ions Between Solid Polymers and Solutions. Part II: Conventional Descriptions of Ion-Binding (*McGregor*) 433
The Distribution of Dye and Inorganic Ions Between Solid Polymers and Solutions. Part III: C. I. Basic Blue 22 and Acrilan 16® Fibers (*McGregor*) 439
Gupta, A. K. Proportion of Fiber Strength Utilized in the Single Yarn (*Iyengar*) 489
Some Functions Involving Fiber Properties for Estimating Yarn Tenacity (*Iyengar*) 492
Gupta, Bhupender S. Structural Studies in Continuous-Filament Yarns. Part I: Studies in Model Ribbon Yarns 125
Gupta, R. C. Acid Hydrolysis of Mercerized Yarns (*Handu, Mythili*) 476
Gupta, Vidya Bhushan Structural Changes in Nylon 6 Yarn on Heat-Setting and Friction-Twisted Texturing (*Majumdar, Seth*) 539
Guthrie, John D. Deuterium-Hydrogen-Exchange Accessibility of Cellulose by Use of $D_2{}^{18}O$ and Mass Spectroscopy (*Heinzelman*) 981

Hall, David M. A Study of the Dyeing of Nylon 6 with Disperse Dyes from Chlorinated Hydrocarbon Solvents (*Perkins*) 528
Haly, A. R. Thermal Analysis and Flame Resistance of Wool . . 636
Hamilton, R. J. Bending and Recovery Properties of Wool Plain-Knitted Fabrics (*Postle*) 336
Handu, J. L. Acid Hydrolysis of Mercerized Yarns (*Mythili, Gupta*) 476
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part IV: Prediction of Edge Wear in Service on the Basis of Laboratory Tests (*Sarma, Verma, Singh*) . . 739
Hassenboehler, Charles B. A Device for Measuring Stress-Strain Behavior of Low-Modulus Textiles Under Uniform Radial Straining (*Nelson, Weiss, Taggart*) 188
Hayes, R. L. Modification of Wrinkle Recovery of Wool Fabrics by Variation of Steam-Pressing Procedures (*Leeder, Taylor*) 163
Hearle, J. W. S. The Distribution of Transverse Pressure in a Twisted Yarn Allowing for the Fiber Migration and Variation of Fiber Packing Density. Comments 394
Heeralal, R. Some Structural and Physical Properties of Yarn Made on the Integrated Composite Spinning System. Part II: Three-Component Yarns (*Mohamed, Rochow*) 206
Heinzelman, Dorothy C. Deuterium-Hydrogen-Exchange Accessibility of Cellulose by Use of $D_2{}^{18}O$ and Mass Spectroscopy (*Guthrie*) 981
Hentschel, R. A. A. A New High-Temperature Fiber (*Shivers*) 665
Hersh, S. P. The Bending Characteristics of Yarns. Part I: Monofilaments (*Kim, El-Shiekh*) 958
Hertel, K. L. Effect of Sodium Hydroxide Concentrations on Selected Cotton Fiber Properties (*Lawson*) 975
Hine, R. J. The Absorption of Certain Metal Ions by Wool Fibers (*Brady, Freeland, Hoskinson*) 733
Hinton, Everett H., Jr. A Survey and Critique of the Literature on Crosslinking Agents and Mechanisms as Related to Wool Keratin 233
Hobart, Stanley R. Creasable Dimethyloldihydroxyethyleneurea-Crosslinked Cotton Print Cloth (*Mack*) 620
Hogan, Hubertina D. Sorptive Textile Systems Containing Activated Carbon Fibers (*Arons, Macnair, Coffin*) 874
Holmes, T. L. Flame-Retardant Cellulose Acetate and Arnel Triacetate (*Vandermaas, Zybko*) 561
Holst-Wallin, Eva-Margareth Studies of Wrinkling Properties of Wool Fabrics. Part I: Treatments to Improve Wrinkle Recovery of Wool Fabrics (*Shiskoo, Cednäs*) 30
Holt, Leo A. Fluorescent Whitening Agents. Part III: Photodecomposition of Disodium 4,4′-Diacetamidostilbene-2,2′Disulfonate (*Milligan*) 181
Fluorescent Whitening Agents. Part IV: Sensitization of the Photoyellowing of Wool by Aromatic Aldehydes (*Milligan*) . . 452
Fluorescent Whitening Agents. Part V: The Use of Reducing Agents for Retarding the Yellowing of Fluorescently Whitened Wool by Sunlight (*Milligan, Wolfram*) 846
Hoschke, B. N. Flame-Resistant Wool/Nomex Blends 956
Hoskinson, R. M. The Absorption of Certain Metal Ions by Wool Fibers (*Brady, Freeland, Hine*) 733
Hunter, LeRoy D. Observation of the Internal Structure of the Human Hair Cuticle Cell by SEM (*Garcia, Newman, Cohen*) 136

Ingram, P. Never-Dried Cotton Fibers. Part I: Morphology and Transport Properties (*Woods, Peterlin, Williams*) 96
Never-Dried Cotton Fibers. Part II: Fixation of the Never-Dried State (*Williams, Peterlin, Woods*) 370
Isaacs, P. Flame-Resistant Cellulose Esters (*Lewin, Sello, Stevens*) 700
Irick, Gether, Jr. Photochemistry of Dyes on Synthetic Fibers. Part II: Effects of Light/Dark Cycles and Temperature (*Boyd*) 558
Iyengar, R. L. N. Proportion of Fiber Strength Utilized in the Single Yarn (*Gupta*) 489
Some Functions Involving Fiber Properties for Estimating Yarn Tenacity (*Gupta*) 492

Jakes, K. A. A Modified Bottom-Ignition Oxygen Index Test for Determination of the Flammability of Sewing Threads (*Smith, Spivak*) 398
A Computerized Data-Handling System for the Children's Sleepwear Standard DOC FF 3-71 (*Smith, Spivak*) 966
Johnson, Robert F. Method of Observing Cationic Surface-Active Agents on Acrylic Polymer Surfaces (*Wakelyn*) . . . 75
Analysis of Transport Phenomena Associated with Through-Convective Drying of a Textile Material (*Cannon, Meenaghan*) 827
Johnston, D. D. Mohair Sampling for Yield and Fineness Testing (*Lineberry, Ray, Pohle*) 393
Jones, D. W. 220-MHz Proton Magnetic Resonance Spectra of Homogeneous High-Sulphur Fractions of Reduced Wool (*Dale*) 778
Jung, H. Z. Urea-Phosphoric Acid Hydrolysis of Cotton Modified with N-Methylolated Ethylene Ureas (*Benerito, Gonzales, Berni*) 670

Kamel, M. Relation Between the Rotproofing Properties and Chemical Structure of some Reactive Compounds and their Chromophoric Derivatives. Part I: Synthesis of Rotproofing Agents and their Application on Cotton Fabric (*Amin, Abdou*) 568
Keller, H. R. Scoured Mohair Fiber Diameter by Air-Flow Testing (*Ray, Lineberry, Pohle*) 363
Kim, S. Y. The Bending Characteristics of Yarns. Part I: Monofilaments (*Hersh, El-Shiekh*) 958
Kirkpatrick, A. Further Studies on Sulfated Wool (*Maclaren*) 753
Kirkwood, Barbara Hodam Scanning Electron Microscope Investigation of Morphological Characteristics of Laboratory and Field Wear in Military Fabrics 545
Klasa, Erik Quantitative Determination of Dyes in Textile Fibers. Part I: Cationic and Nonionic (Disperse) Dyes in Polyacrylonitrile Polymers 997
Koenig, N. H. Reaction of Wool with Zinc Acetate in Dimethylformamide (*Muir, Friedman*) 717
Kokot, S. An Electron Spin Resonance Study of the Copper(II) Interaction with Wool-Keratin. Part III: A Kinetic Model for the Cu(II) Wool Interaction (*Feughelman, Golding*) . . 523
Kulkarni, V. G. Amino Acid Compositions of the Ortho- and Paracortical Cells in Presence and Absence of Heavy Metal Salts 724
Chemical Composition of the Oxidation-Soluble Proteins from Wool and its Cellular Component 918
Kullman, Russell M. H. Crosslinking Cotton in an Unheated Dehydrating Atmosphere (*Reinhardt*) 24
Catalytic Effects and Selective Hydrolysis of Dimethylol Ethyleneurea and Formaldehyde Crosslinks in Finished Cotton (*Reinhardt, deGruy*) 687
Moderated Mineral Acid Catalysis for Durable-Press Finishing Under Mild-Curing Conditions (*Reinhardt*) 948
Kuryla, W. C. Cellulosic Flame Retardants Prepared Directly from Elemental Phosphorus (*Arney*) 921

Lal, Gulzari Phase Transformations in Cotton Cellulose During Mercerization 313
Landwehr, Robert C. A Simple and Qualitative Electrophoretic Technique for Fibrous Material (*Stigter*) 45
Felting and Flocculation of Natural Wool in Water and in Mixed Solvents (*Stigter, Menefee*) 454
Lawson, Reba Effect of Sodium Hydroxide Concentrations on Selected Cotton Fiber Properties (*Hertel*) 975
Lead, J. A. The Function of Added Sodium Chloride in the Acid Bromate Shrinkproofing Treatment of Wool (*Makinson*) . . . 726
Leeder, J. D. Modification of Wrinkle Recovery of Wool Fabrics by Variation of Steam-Pressing Procedures (*Hayes, Taylor*) 163
Leveque, J. L. Depolarization Thermal Currents in Keratin Fibers (*Garson, Boudouris*) 504
Lewin, M. The Role of Liquid Ammonia in Function Textile Finishes (*Rau, Sello*) 680
Flame-Resistant Cellulose Esters (*Isaacs, Sello, Stevens*) . . . 700
Lewis, James The Use of Formaldehyde to Minimize Wool Damage Caused by Commercial Enzyme-Containing Detergents 707

Lineberry, C. T. Scoured Mohair Fiber Diameter by Air-Flow Testing (*Ray, Keller, Pohle*) . . . 363
Mohair Sampling for Yield and Fineness Testing (*Ray, Pohle, Johnston*) . . . 593
Lord, P. R. The Performance of Open-End, Twistless, and Ring Yarns in Weft-Knitted Fabrics (*Mohamed, Ajgaonkar*) . . . 405
Yarn Evenness in Open-End Spinning . . . 512
A Comparison of the Performance of Open-End Yarns and Ring-Spun Yarns in Terry Toweling . . . 516
Modifying the Characteristics of Ring and Open-End Yarns (*Nichols*) . . . 783
Lynch, L. J. The Use of Light-Scattering Profiles of Single Fibers to Measure and Compare the Within-Fiber Diameter Variability of Wool Tops . . . 203
A Study of the Relationship Between Geometry and Light-Scattering Profiles of Single Wool Fibers . . . 446

MacEwan, Thomas H. Binding of (1:1)-Metal-Complex Dyes to Proteins, Studied by the Monolayer Method (*Giles, McIver*) 580
Mack, Charles H. Creasable Dimethyloldihydroxyethyleneurea-Crosslinked Cotton Print Cloth (*Hobart*) . . . 620
Maclaren, J. A. Further Studies on Sulfated Wool (*Kirkpatrick*) 753
Macnair, Richard N. Sorptive Textile Systems Containing Activated Carbon Fibers (*Arons, Coffin, Hogan*) . . . 874
Madacsi, J. P. Recurable Durable-Press Fabrics. Part IV: Hydroxy Acids with N-Methylol Reagents for Producing Recurable Durable-Press Fabrics (*Franklin, Rowland*) . . . 165
Madan, G. L. A Study of the Soiling of Textiles and Development of Anti-Soiling and Soil-Release Finishes: A Review (*Venkatesh, Dweltz, Alurkar*) . . . 352
Disposition of Crosslinking Agents on Cellulose . . . 946
Majumdar, A. Effect of Heater Temperature and Contact Time on the Tensile Properties of Friction-Twisted Texturized Yarns (*De, Mukhopadhya*) . . . 91
Effect of Drawing and Texturizing on the Molecular-Weight Distribution of Nylon 6 Multifilament Yarns (*Sengupta, Singh*) . . . 155
Structural Changes in Nylon 6 Yarn on Heat-Setting and Friction-Twisted Texturing (*Gupta, Seth*) . . . 539
Makinson, K. Rachel The Function of Added Sodium Chloride in the Acid Bromate Shrinkproofing Treatment of Wool (*Lead*) . . . 726
The Role of Chlorine in Oxidative Antifelting Treatments of Wool . . . 856
Manley, R. St. John Gel Permeation Chromatographic Study of the Degradation of Regenerated Cellulose by Methanolysis 401
Kinking in Cellulose Microfibrils . . . 637
Margavio, Matthew F. Photoinitiated Crosslinking of Modified Cotton. Part I: Acrylated and Methacrylated Cotton Cellulose (*Portnoy, Nelson, Arthur*) . . . 449
Orientation-Disorientation Effects in Tensioned, Mercerized Cotton. The Pretreatment of Yarns for Wash-Wear Fabrics of High Strength and Durability (*Murphy, Welch*) . . . 904
Martin, Lawrence F. Effects of Polymerization Parameters of Methylolated Melamines Upon the Wet-Fixation Durable-Press Process for Treating Cotton Fabrics (*Bertoniere, Blouin, Rowland*) . . . 140
The Development of Abrasion Resistance and Breaking Strength in Durable-Press Cotton Fabrics (*Rowland, Bertoniere*) . . . 595
An Effect of a Pretreatment of Fabric upon the Development of Durable-Press Properties in Cotton Fabrics by the Wet-Fixation Process (*Bertoniere, Blouin, Rowland*) . . . 630
Mason, J. S. The Fate of a Monofunctional N-Methylol Reagent on Pad-Dry-Cure Reaction with Cotton (*Rowland, Cirino, Bullock, Wade*) . . . 220
Masri, Merle Sid Interaction of Wool with Metal Cations (*Reuter, Friedman*) . . . 298
McGregor, R. Scientific Inference and the Donnan Membrane Theories of Dyeing (*Ezuddin*) . . . 43
The Distribution of Dye and Inorganic Ions Between Solid Polymers and Solutions. Part II: Conventional Descriptions of Ion-Binding (*Guion*) . . . 433
The Distribution of Dye and Inorganic Ions Between Solid Polymers and Solutions. Part III: C. I. Basic Blue 22 and Acrilan 16® Fibers (*Guion*) . . . 439
McIver, Norman Binding of (1:1)-Metal-Complex Dyes to Proteins, Studied by the Monolayer Method (*Giles, MacEwan*) 580
A Study of the Reaction Between Protein Monolayers and Wool-Reactive Dyes (*Giles*) . . . 587
McLaren, K. G. The Effect of Low Doses of Co^{60} Gamma Radiation on some Physical Properties and the Structure of Wool Fibers (*Beevers*) . . . 986
Meenaghan, G. F. Analysis of Transport Phenomena Associated with Through-Convective Drying of a Textile Material (*Cannon, Johnson*) . . . 827
Mehta, R. D. Flammability of Metal-Cation-Exchanged Carboxyethylated Cottons . . . 825
Menefee, E. Felting and Flocculation of Natural Wool in Water and in Mixed Solvents (*Stigter, Landwehr*) . . . 454
Miller, M. L. Measurement of Dyeing Defects in Continuous-Filament Yarns (*Sanford, Clardy*) . . . 952
Milligan, Brian Fluorescent Whitening Agents. Part III: Photodecomposition of Disodium 4,4′-Diacetamidostilbene-2,2′-Disulfonate (*Holt*) . . . 181
Fluorescent Whitening Agents. Part IV: Sensitization of the Photoyellowing of Wool by Aromatic Aldehydes (*Holt*) . . . 452
Fluorescent Whitening Agents. Part V: The Use of Reducing Agents for Retarding the Yellowing of Fluorescently Whitened Wool by Sunlight (*Holt, Wolfram*) . . . 846
Mitton, M. T. An Experimental Procedure for Determining the Flammability of Carpets Using the TRI Flammability Analyzer (*Day, Wiles*) . . . 5
Miura, Yoshito The Mechanics of False Twist . . . 21
Mohamed, M. H. Some Structural and Physical Properties of Yarn Made on the Integrated Composite Spinning System. Part II: Three-Component Yarns (*Rochow, Heeralal*) . . . 206
The Performance of Open-End, Twistless, and Ring Yarns in Weft-Knitted Fabrics (*Lord, Ajgaonkar*) . . . 405
Morton, Margaret I. Below-Break Tensile Behavior of Irradiated Nylon. Part III: Nomex . . . 332
Mottram, F. J. Changes in the Crosslinking of Keratin Fibers as Revealed by Stress-Relaxation Studies (*Coad*) . . . 557
Muir, Mary W. Reaction of Wool with Zinc Acetate in Dimethylformamide (*Koenig, Friedman*) . . . 717
Mukhopadhya, S. K. Effect of Heater Temperature and Contact Time on the Tensile Properties of Friction-Twisted Texturized Yarns (*De, Majumdar*) . . . 91
Muller, Linda L. A Microscopical Survey of Flame-Resistant Cotton Fabrics. Part I: Treatments Based on THPOH-NH_3 (*Goynes, Boylston, Trask*) . . . 197
Murphy, A. L. Orientation-Disorientation Effects in Tensioned, Mercerized Cotton. The Pretreatment of Yarns for Wash-Wear Fabrics of High Strength and Durability (*Margavio, Welch*) . . . 904
Mythili, K. Acid Hydrolysis of Mercerized Yarns (*Handu, Gupta*) 476

Nair, Prema Effect of Phosphoric Acid Treatment on Physical and Chemical Properties of Cotton Fiber (*Pandey*) . . . 927
Navkal, Harirao Determination of Cotton Fiber Maturity with the Micronaire Instrument Using Two Different Techniques (*Seshan, Sundaram*) . . . 835
Needles, Howard L. The Dyeing Properties of Wools Containing Internally Deposited Acrylic Polymers (*Sarsfield*) . . . 147
Response: Photo-Oxidation of Disodium 4,4′-Diacetamidostilbene 2,2′-Disulfonate (*Seiber*) . . . 183
The *In Situ* Formation and Photosensitivity of Polymeric Stilbene Fluorescent Brighteners on Wool (*Seiber, Alger*) . . . 315
Nelson, Marie C. Photoinitiated Crosslinking of Modified Cotton. Part I: Acrylated and Methacrylated Cotton Cellulose (*Portnoy, Margavio, Arthur*) . . . 449
Nelson, Mary L. Yarn Untwisting in Relation to Durable-Press Rating of Crosslinked Cotton Fabrics (*Rousselle*) . . . 71
A Device for Measuring Stress-Strain Behavior of Low-Modulus Textiles Under Uniform Radial Straining (*Hassenboehler, Weiss, Taggart*) . . . 188
Nerurkar, S. K. Strength and Elongation of Cotton, Polyester, and Polyester/Cotton Blends at Different Stages of Manufacture (*Balasubramanian*) . . . 106
Newman, Walter Observation of the Internal Structure of the Human Hair Cuticle Cell by SEM (*Hunter, Garcia, Cohen*) 136
Nichols, L. D. Modifying the Characteristics of Ring and Open-End Yarns (*Lord*) . . . 783
Nishide, Shinko The Radiation Grafting of Silicone onto Rayon and Acetate (*Shimizu*) . . . 900
Nordin, Sören B. An Indication of Molten Cellulose Produced in a Laser Beam (*Nyrén, Back*) . . . 152
Additional Information for the above article . . . 915
Nossar, M. S. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part I: Prediction from Theoretical Considerations (*Young, Chaikin*) . . . 464
Nyrén, Jan O. An Indication of Molten Cellulose Produced in a Laser Beam (*Norden, Back*) . . . 152
Additional Information for the above article . . . 915

Olofsson, Bertil Some Relationships Between Wind Pressures, Forces, and Geometrical Characteristics of Air-Supported Tents . . . 495
Olsen, J. S. Measurement of Sliver Drafting Forces . . . 852

Pandey, S. N. Effect of Phospboric Acid Treatment on Physical and Chemical Properties of Cotton Fiber (*Nair*) . . . 927
Park, K. Relation of Lubricant Structure to Frictional Properties; Polyoxyalkylene Monoether Lubricants on Filament Yarns (*Seefried, Bryant*) . . . 692

Pavlath, Attila E. Grafting on Wool Through Free-Radical Formation on the Protein 658
Perkins, Henry H., Jr. Fiber Content of Blends of Cotton and Optically Brightened Polyester Determined by UV Fluorescence 185
Perkins, Warren S. A Study of the Dyeing of Nylon 6 with Disperse Dyes from Chlorinated Hydrocarbon Solvents (*Hall*) 528
Peterlin, A. Never-Dried Cotton Fibers. Part I: Morphology and Transport Properties (*Ingram, Woods, Williams*) 96
Never-Dried Cotton Fibers. Part II: Fixation of the Never-Dried State (*Williams, Ingram, Woods*) 370
Peters, Arnold T. Photochemical Degradation of Aminoazobenzene Disperse Dyes in Ethanolic Solution. Part I: Effect of Concentration, Water, and Temperature (*Bridgeman*) . . 639
Photochemical Degradation of Aminoazobenzene Disperse Dyes in Ethanolic Solution. Part II: Effect of pH and of Dye Structure (*Bridgeman*) 645
Substituent Effects on the Visible Absorption Spectra of Aminoazobenzene Disperse Dyes in Acidic Solution 719
Phoenix, S. L. Transverse Compressive Moduli and Yield Behavior of some Orthotropic, High-Modulus Filaments (Skelton) 934
Pilkington, M. W. Modification of Cotton and Cotton-Polyester Blends with Epoxides (*Soignet, Berni, Benerito*) 225
Pittman, A. G. Two-Way Stretch Wool—A New Approach (*Wasley*) 403
Fabric Oil Repellency as Related to the Critical Surface Tension and Stiffness of Coating Material (*Roitman, Ward*) . . 500
Pohle, E. M. Scoured Mohair Fiber Diameter by Air-Flow Testing (*Ray, Keller, Lineberry*) 363
Mohair Sampling for Yield and Fineness Testing (*Lineberry, Ray, Johnston*) 393
Poisson, W. H. The Geometry of Ordered Split-Film Networks (*Schoppee*) 862
Portnoy, Norman A. Photoinitiated Crosslinking of Modified Cotton. Part I: Acrylated and Methacrylated Cotton Cellulose (*Nelson, Margavio, Arthur*) 449
Postle, Ronald The Effect of Felting on the Bending and Shear Properties of Knitted Wool Fabrics (*Stewart*) 192
Bending and Recovery Properties of Wool Plain-Knitted Fabrics (*Hamilton*) 336
Prasad, R. B. Studies in Accelerated Oxidation of Cellulose. Part IV: Hypochlorite Oxidation of Cellulose in the Presence of Cobaltous Hydroxide (*Shenai*) 591
Puente, P. Comparative Study of the Titrating Methods of Acidic Groups in Acrylic Fibers (*Cegarra, Valldeperas*) 472

Rattee, I. D. A Novel Method of Polymerizing Acrylic Monomers on Wool (*Singh*) 600
Dye-Cellulose Binding Mechanisms 728
Rau, R. O. The Role of Liquid Ammonia in Functional Textile Finishes (*Lewin, Sello*) 680
Ray, H. D. Scoured Mohair Fiber Diameter by Air-Flow Testing (*Keller, Lineberry, Pohle*) 363
Mohair Sampling for Yield and Fineness Testing (*Lineberry, Pohle, Johnston*) 393
Reinhardt, Robert M. Crosslinking Cotton in an Unheated Dehydrating Atmosphere (*Kullman*) 24
Catalytic Effects and Selective Hydrolysis of Dimethylol Ethyleneurea and Formaldehyde Crosslinks in Finished Cotton (*Kullman, de Gruy*) 687
Moderated Mineral Acid Catalysis for Durable-Press Finishing Under Mild-Curing Conditions (*Kullman*) 948
Reuter, F. William Interaction of Wool with Metal Cations (*Masri, Friedman*) 298
Ribnick, A. S. Interactions of Nonaqueous Solvents with Textile Fibers. Part IV: Effects of Solvents on the Mechanical Properties of Various Textile Yarns (*Weigmann*) 165
Rigby, B. J. A Note on Some Molecular Interactions Involved in the Aging of Keratin Fibers (*Feughelman, Robinson*) . . 324
Roberts, G. A. The Reaction of Wool with Potassium Hexafluorozirconate (*Gordon*) 414
Robinson, M. S. A Note on Some Molecular Interactions Involved in the Aging of Keratin Fibers (*Feughelman, Rigby*) 324
Robinson, V. N. The Felting of Wool Fabrics Washed at Various Values of pH, and the Isoelectric Point Determined by Streaming Potential Measurements (*Algie, Baird, Foulds*) . . 767
Rochow, T. G. Some Structural and Physical Properties of Yarn Made on the Integrated Composite Spinning System. Part II: Three-Component Yarns (*Mohamed, Heeralal*) 206
Roitman, J. N. Fabric Oil Repellency as Related to the Critical Surface Tension and Stiffness of Coating Material (*Pittman, Ward*) 500
Rousselle, Marie Alice Yarn Untwisting in Relation to Durable-Press Rating of Crosslinked Cotton Fabrics (*Nelson*) . . . 71
Rowland, Stanley P. Effects of Polymerization Parameters of Methylolated Melamines Upon the Wet-Fixation Durable-Press Process for Treating Cotton Fabrics (*Bertoniere, Blouin, Martin*) 140
Recurable Durable-Press Fabrics. Part IV: Hydroxy Acids with N-Methylol Reagents for Producing Recurable Durable-Press Fabrics (*Franklin, Maducsi*) 173
The Fate of a Monofunctional N-Methylol Reagent on Pad-Dry-Cure Reaction with Cotton (*Cirino, Bullock, Wade, Mason*) 220
A Preliminary Report on the Hydrophilic Characteristics of Poly(Calcium Acrylate)-Cotton (*Cirino*) 479
The Development of Abrasion Resistance and Breaking Strength in Durable-Press Cotton Fabrics (*Bertoniere, Martin*) . . . 595
An Effect of a Pretreatment of Fabric upon the Development of Durable-Press Properties in Cotton Fabrics by the Wet-Fixation Process (*Bertoniere, Blouin, Martin*) 630
Characteristics of Internally Buffered N-Methylol Reagents and their Reactions with Cotton (*Wade, Franklin*) 869

Saksena, S. K. Response to J. C. Whitwell letter re: Optimum Number of Observations Needed to Estimate Average Staple Length and Fiber Diameter in Indian Wools 915
Salhotra, K. R. The Distribution of End Breaks Over the Chase of a Cop-Build Ringframe: The Effects of Winding-On Angle and Ringrail Movement (*Subramanian, Grover*) 791
Sanford, R. A. Measurement of Dyeing Defects in Continuous-Filament Yarns (*Clardy, Miller*) 952
Sarma, G. V. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part IV: Prediction of Edge Wear in Service on the Basis of Laboratory Tests (*Handu, Verma, Singh*) 739
Sarsfield, Linda J. The Dyeing Properties of Wools Containing Internally Deposited Acrylic Polymers (*Needles*) 147
Sawhney, A. P. Singh The Effect of Fabric Structure on the Properties of Two-Way Stretch Fabrics Made from Elastic Core-Spun Yarns of Cotton and Wool Blend 506
Schick, M. J. Friction and Lubrication of Synthetic Fibers. Part V: Effect of Fiber Luster, Guide Material, Charge, and Critical Surface Tension of Fibers on Fiber Friction 758
Schoppee, Meredith M. The Geometry of Ordered Split-Film Networks (*Poisson*) 862
Bending Limits of Some High-Modulus Fibers (*Skelton*) 968
Seefried, C. G. Relation of Lubricant Structure to Frictional Properties: Polyoxyalkylene Monoether Lubricants on Filament Yarns (*Park, Bryant*) 692
Segal, Leon The Effect of Dyes on the Flammability of Cotton Fabric. 1 (*Timpa, Drake*) 839
The Flammability of Cotton Fabrics Dyed with Indigo Dyes (*Timpa, Drake*) 858
Seiber, Rita P. Response: Photo-oxidation of Disodium 4,4'-Diacetamidostilbene-2,2'-Disulfonate (*Needles*) 183
The *In Situ* Formation and Photosensitivity of Polymeric Stilbene Fluorescent Brighteners on Wool (*Needles, Alger*) . . . 315
Sello, S. B. The Role of Liquid Ammonia in Functional Textile Finishes (*Lewin, Rau*) 680
Flame-Resistant Cellulose Esters (*Isaacs, Stevens, Lewin*) . . . 700
Sengupta, A. K. Effect of Drawing and Texturizing on the Molecular-Weight Distribution of Nylon 6 Multifilament Yarns (*Singh, Majumdar*) 155
The Nature of Fiber Loss in an Air-Vortex System (*Tarafder*) 756
Seshan, K. N. Determination of Cotton Fiber Maturity with the Micronaire Instrument Using Two Different Techniques (*Navkal, Sundaram*) 835
Seth, Kislan Kumar Structural Changes in Nylon 6 Yarn on Heat-Setting and Friction-Twisted Texturing (*Gupta, Majumdar*) 539
Shah, K. D. Studies in Accelerated Oxidation of Cellulose. Part III: Hypochlorite Oxidation of Cellulose in the Presence of Nickel Hydroxide (*Shenai*) 214
Shenai, V. A. Studies in Accelerated Oxidation of Cellulose. Part III: Hypochlorite Oxidation of Cellulose in the Presence of Nickel Hydroxide (*Shah*) 214
Studies in Accelerated Oxidation of Cellulose. Part IV: Hypochlorite Oxidation of Cellulose in the Presence of Cobaltous Hydroxide (*Prasad*) 591
Shimizu, Harumichi The Radiation Grafting of Silicone onto Rayon and Acetate (*Nishide*) 900
Shishoo, Roshan Studies of Wrinkling Properties of Wool Fabrics. Part I: Treatments to Improve Wrinkle Recovery of Wool Fabrics (*Holst-Wallin, Cednäs*) 30
Studies of Wrinkling Properties of Wool Fabrics. Part II: Evaluation of Changes in Certain Fiber Properties Due to Treatments for Improving Wrinkle Recovery of Fabrics . . . 35
Shivers, J. C. A New High-Temperature Fiber (*Hentschel*) . . 665
Siahkolah, Mohammed A. Morphology and Mechanical Properties of Cellulose Acetate Fibers Grafted with Polyacrylonitrile (*Walsh*) 895
Simpson, Jack Effect of Mixing Cottons Differing in Micronaire Reading and Carding Variables on Cotton Sliver Quality, Yarn Properties, and End Breakage (*Fiori*) 327
An Analysis of Carding Efficiency and Processing Performance of Cotton/Polyester Blends (*Fiori*) 813

Singh, A. P. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part IV: Prediction of Edge Wear in Service on the Basis of Laboratory Tests (*Sarma, Verma, Handu*) 739
Singh, G. S. A Novel Method of Polymerizing Acrylic Monomers on Wool (*Rattee*) 600
Singh, R. K. Effect of Drawing and Texturizing on the Molecular-Weight Distribution of Nylon 6 Multifilament Yarns (*Sengupta, Majumdar*) 155
Sippel, Arnulf The Tensile Fatigue Behavior of a Warp Yarn and its Influence on Weaving Performance. Comment . . . 725
Skelton, John Frictional Effects in Fibrous Assemblies 746
Transverse Compressive Moduli and Yield Behavior of some Orthotropic, High-Modulus Filaments (*Phoenix*) 934
Bending Limits of Some High-Modulus Fibers (*Schoppee*) . . . 968
Slater, K. The Automatic Control of the Drying of Textile Fabrics (*Crow*) 309
Smith, B. F. A Modified Botton-Ignition Oxygen Index for Determination of the Flammability of Sewing Threads (*Jakes, Spivak*) 398
A Computerized Data-Handling System for the Children's Sleepwear Standard DOC FF 3-71 (*Jakes, Spivak*) 966
Soignet, D. M. Modification of Cotton and Cotton-Polyester Blends with Epoxides (*Berni, Benerito, Pilkington*) 225
Soudagar, S. V. Characterization of Crosslinks by the Yarn Untwisting Index Using Cadoxen (*Achwal*) 919
Spivak, S. M. A Modified Bottom-Ignition Oxygen Index Test for Determination of the Flammability of Sewing Threads (*Jakes, Smith*) 398
A Computerized Data-Handling System for the Children's Sleepwear Standard DOC FF 3-71 (*Jakes, Smith*) 966
Stevens, C. V. Flame-Resistant Cellulose Esters (*Isaacs, Lewin, Sello*) 700
Stewart, Barbara F. The Effect of Felting on the Bending and Shear Properties of Knitted Wool Fabrics (*Postle*) 192
Stigter, Dirk A Simple and Qualitative Electrophoretic Technique for Fibrous Material (*Landwehr*) 45
Felting and Flocculation of Natural Wool in Water and in Mixed Solvents (*Menefee, Landwehr*) 454
Stith, Lee S. The Relative Contribution of Fiber Properties to Variations in Yarn Strength in Upland Cotton, *Gossypium hirsutum* L. (*El Sourady, Worley*) 310
Subramanian, T. A. The Distribution of End Breaks Over the Chase of a Cop-Build Ringframe: The Effects of Winding-On Angle and Ringrail Movement (*Salhotra, Grover*) 791
Sundaram, V. Determination of Cotton Fiber Maturity with the Micronaire Instrument Using Two Different Techniques (*Seshan, Navkal*) 835

Taggart, Thomas J. A Device for Measuring Stress-Strain Behavior of Low-Modulus Textiles Under Uniform Radial Straining (*Hassenboehler, Nelson, Weiss*) 188
Tarafder, N. The Nature of Fiber Loss in an Air-Vortex System (*Sengupta*) 756
Taylor, D. S. Modification of Wrinkle Recovery of Wool Fabrics by Variation of Steam-Pressing Procedures (*Hayes, Leeder*) 163
Thorsen, Walter J. Modification of the Cuticle and Primary Wall of Cotton by Corona Treatment 422
Tillin, Sandra Partly-Reduced Alkylated Wool (*Friedman*) . . 578
Timpa, Judy D. The Effect of Dyes on the Flammability of Cotton Fabric. 1. (*Segal, Drake*) 839
The Flammability of Cotton Fabrics Dyed with Indigo Dyes (*Segal, Drake*) 858
Tomioka, M. K. Morphological Studies on Fabrics Treated with Flame-Retardant Finishes (*Zeronian*) 1
Trask, Brenda J. A Microscopical Survey of Flame-Resistant Cotton Fabrics. Part I: Treatments Based on THPOH-NH_3 (*Goynes, Boylston, Muller*) 197
Tucker, Paul Microfibers Formed *Ab Initio* in Extensional Melt Flows (*George*) 56

Vail, Sidney L. Reactivity of Groups in Dimethyloldihydroxyethyleneurea (*Arney*) 400
Valldeperas, J. Comparative Study of the Titrating Methods of Acidic Groups in Acrylic Fibers (*Cegarra, Puente*) 472
Vandermaas, J. K. Flame-Retardant Cellulose Acetate and Arnel Triacetate (*Holmes, Zybko*) 561
Venkatesh, G. M. A Study of the Soiling of Textiles and Development of Anti-Soiling and Soil-Release Finishes: A Review (*Dweltz, Madan, Alurkar*) 352
Measurement of Crease-Recovery Properties of Yarns and Fibers (*Dweltz*) 428
Verma, B. C. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part IV: Prediction of Edge Wear in Service on the Basis of Laboratory Tests (*Sarma, Handu, Singh*) 739
Vigo, J. P. Introduction to the Influence of Rotor Cleanliness on the Properties of Open-End Yarns (*Barella*) 612
The Efficiency of the B-V Electronic Hairiness Meter for Cotton Yarns (*Barella*) 824

Wade, C. P. The Fate of a Monofunctional N-Methylol Reagent on Pad-Dry-Cure Reaction with Cotton (*Rowland, Cirino, Bullock, Mason*) 220
Characteristics of Internally Buffered N-Methylol Reagents and their Reactions with Cotton (*Rowland, Franklin*) . . . 869
Wade, Ricardo H. Elongation of Flame-Retardant Cotton During Combustion (*Weiss, Andrews*) 892
Structure and Stability of Chloroform-Included Cotton Cellulose (*Creely*) 941
Wagner, J. Robert Photoelastic Study of Stresses in Fabrics and Fabric-Like Structures 77
Wakelyn, Phillip J. Method of Observing Cationic Surface-Active Agents on Acrylic Polymer Surfaces (*Johnson*) . . . 75
Walsh, William K. Morphology and Mechanical Properties of Cellulose Acetate Fibers Grafted with Polyacrylonitrile (*Siahkolah*) 895
Ward, Truman L. Addition of Lead from Sodium Plumbite Solution to Modified and Unmodified Cottons (*Benerito*) 12
Ward, W. H. Fabric Oil Repellency as Related to the Critical Surface Tension and Stiffness of Coating Material (*Roitman, Pittman*) 500
Wasley, W. L. Two-Way Stretch Wool—A New Approach (*Pittman*) 403
Weigmann, H.-D. Interactions of Nonaqueous Solvents with Textile Fibers. Part IV: Effects of Solvents on the Mechanical Properties of Various Textile Yarns (*Ribnick*) 165
Weiss, Louis C. A Device for Measuring Stress-Strain Behavior of Low-Modulus Textiles Under Uniform Radial Straining (*Hassenboehler, Nelson, Taggart*) 188
Elongation of Flame-Retardant Cotton During Combustion (*Wade, Andrews*) 892
Welch, C. M. Orientation-Disorientation Effects in Tensioned, Mercerized Cotton. The Pretreatment of Yarns for Wash-Wear Fabrics of High Strength and Durability (*Murphy, Margavio*) 904
White, James L. The Diffusion of Disperse Dyes into Nylon 66 Fibers: Dry Heat and Steam Fixation (*Worth*) 483
A Continuum Mechanics Approach to Twisted Yarns (*Cheng, Duckett*) 798
Whitwell, John C. Optimum Number of Observations Needed to Estimate Average Staple Length and Fiber Diameter in Indian Wools 914
Wilde, Anthony F. Photographic Investigation of High-Speed Missile Impact upon Nylon Fabric. Part II: Retarding Force on Missile and Transverse Critical Velocity 772
Wiles, D. M. An Experimental Procedure for Determining the Flammability of Carpets Using the TRI Flammability Analyzer (*Day, Mitton*) 5
Williams, J. L. Never-Dried Cotton Fibers. Part I: Morphology and Transport Properties (*Ingram, Peterlin, Woods*) 96
Never-Dried Cotton Fibers. Part II: Fixation of the Never-Dried State (*Ingram, Peterlin, Woods*) 370
Wolfram, L. J. Fluorescent Whitening Agents. Part V: The Use of Reducing Agents for Retarding the Yellowing of Fluorescently Whitened Wool by Sunlight (*Holt, Milligan*) . . . 846
Woods, D. Never-Dried Cotton Fibers. Part I: Morphology and Transport Properties (*Ingram, Peterlin, Williams*) 96
Never-Dried Cotton Fibers. Part II: Fixation of the Never-Dried State (*Williams, Ingram, Peterlin*) 370
Worley, S., Jr. The Relative Contribution of Fiber Properties to Variations in Yarn Strength in Upland Cotton, *Gossypium hirsutum* L. (*El Sourady, Stith*) 310
Worth, Daniel L. The Diffusion of Disperse Dyes into Nylon 66 Fibers: Dry Heat and Steam Fixation (*White*) 483

Young, M. D. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part I: Prediction from Theoretical Considerations (*Nossar, Chaikin*) 464

Zeronian, S. H. Morphological Studies on Fabrics Treated with Flame-Retardant Finishes (*Tomioka*) 1
Zybko, W. C. Flame-Retardant Cellulose Acetate and Arnel Triacetate (*Vandermaas, Holmes*) 561

SUBJECT INDEX

Abrasion
in military fabrics: from field and lab wear: morphological characteristics studied with SEM *Kirkwood* 545
Abrasion Resistance
in durable-press cotton fabrics: increased as function of duration of wet-fixation *Rowland, Bertoniere, Martin* 595
Absorption
of metal ions: by wool fibers *Brady, Freeland, Hine, Hoskinson* 733
Accessibility
deuterium-hydrogen-exchange: of cellulose by use of $D_2{}^{18}O$ and mass spectroscopy *Guthrie, Heinzelman* 981
of cotton fiber: after phosphoric acid treatment *Pandey, Nair* 927
Acetate Fibers
cellulose acetate and arnel triacetate: flame-retardant variants *Vandermaas, Holmes, Zybko* 561
Acrylic Fibers
acidic groups in: comparative study of titrating methods *Cegarra, Puente, Valldeperas* 472
Acrylics
monomers on wool: a novel method of polymerization *Rattee, Singh* 600
Activated Carbon Fibers
sorption by: of gases, vapors, and dissolved solids *Arons, Macnair, Coffin, Hogan* 874
Additives
lead: from sodium plumbite solution added to modified and unmodified cotton *Ward, Benerito* 12
Aging
of keratin fibers: some molecular interactions involved in *Feughelman, Robinson, Rigby* 324
Amino Acids
from wool and its cellular component: chemical composition of oxidation-soluble proteins *Kulkarni* 918
in wool fiber cells: in presence and absence of heavy metal salts *Kulkarni* 724
Analysis
of carding efficiency and processing performance: of cotton/polyester blends *Simpson, Fiori* 813
of carpet flammability: using TRI Flammability Analyzer *Day, Mitton, Wiles* 5
regression: to estimate production time for spooled fabrics *Abramovic* 574
stochastic: fiber migration as a semi-Markov process *Abhiraman, George* 736
Analytical Tests
on crosslinking in wool keratin: survey and critique of literature on *Hinton* 233
Antifelting
oxidative: treatments of wool using chlorine *Makinson* 856
Apparatus
for studying rheological properties: of fabrics and films in bending *Chapman* 396

Bending
characteristics of yarn: monofilaments *Kim, Hersh, El-Shiekh* 958
Bending Limits
of high-modulus fibers: fiber loop strength also determined *Schoppee, Skelton* 968
Blends
cotton: effect of mixing *Simpson, Fiori* 327
cotton and optically brightened polyester: measuring fiber content: a new method described *Perkins* 185
cotton and wool: core-spun yarns used for producing two-way stretch fabrics *Sawhney* 506
cotton/polyester: carding and processing analyzed *Simpson, Fiori* 813
cotton/polyester compared with pure cotton: both treated with epoxides *Soignet, Berni, Benerito, Pilkington* 225
viscose-polyester: mechanical properties including dynamic modulus *El-Shiekh* 343
wool/Nomex: made flame-resistant when wool mordanted with zirconium *Hoschke* 956
Brighteners
fluorescent stilbene: photo-oxidized using uv irradiation *Needles, Seiber* 183
stilbene fluorescent on wool: *in situ* formation and photosensitivity of *Needles, Seiber, Alger* 315

Carding
efficiency analyzed: for cotton/polyester blends *Simpson, Fiori* 813
Carpets
flammability: Determined with TRI Flammability Analyzer *Day, Mitton, Wiles* 5
static electricity in: use of conductive fibers to reduce *Blakemore* 459
wool yarn: measurement of diameter and specific volume by new technique described *Carnaby* 121
Catalysis
activity of cobaltous hydroxide: intensity compared with others in hypochlorite oxidation of cellulose *Shenai, Prasad* 591
moderated mineral acid: for durable-press finishing under mild-curing conditions *Reinhardt, Kullman* 948
of nickel hydroxide: on cotton cellulose during hypochlorite oxidation *Shenai, Shah* 214
Cellulose
accelerated oxidation of: hypochlorite oxidation in presence of nickel hydroxide *Shenai, Shah* 214
accelerated oxidation of: in presence of cobaltous hydroxide *Shenai, Prasad* 591
benzoylated cotton: periodate oxidation of *Chatterjee* 713
cotton: phase transformations in, during mercerization *Lal* . . . 313
crosslinking agents on: disposition of *Madan* 946
deuterium-hydrogen exchange accessibility of: by use of $D_2{}^{18}O$ and mass spectroscopy *Guthrie, Heinzelman* 981
dye binding: nature of process seen as complex *Rattee* 728
dye binding: comments on process *Giles* 730
microfibrils: kink angles studied *Manley* 637
molten—an indication of: produced in a laser beam—additional information to earlier paper (Feb., 1974) *Back, Nordin, Nyrén* 915
molten: produced in a laser beam *Nordin, Nyrén, Back* 152
regenerated: degradation of by methanolysis—gel permeation chromatographic study of *Manley* 401
Cellulose Acetate Fibers
grafted with polyacrylonitrile: morphology and mechanical properties of *Siahkolah, Walsh* 895
Cellulose, Cotton
chloroform-included: structure and stability of *Wade, Creely* 941
Cellulose Esters
flame resistance in: by sulfation and phosphorylation *Sello, Stevens* 700
Cellulosic Flame Retardants
phosphorus-containing polyols: prepared as residue products from elemental phosphorus *Arney, Kuryla* 921
Chemical Reactions
kinetics of reaction of cotton with DMEC: physical and chemical properties of cloth discussed *Berni, Benerito, Coll, Gonzales* 47
Chromatography
gel permeation study: of degradation of regenerated cellulose by methanolysis *Manley* 401
Compression, Transverse
of some orthotropic, high-modulus filaments: determination of transverse elastic moduli and yield behavior *Phoenix, Skelton* 934
Computers
for data handling: for children's sleepwear standard DOC FF 3-71 *Jakes, Smith, Spivak* 966
Continuous Filament Yarns
dyeing defects in: measurement of *Sanford, Clardy, Miller* . . 952
model ribbon yarns: fiber migration in *Gupta* 125
twisted: stress distribution analyzed using continuum mechanics *Cheng, White, Duckett* 798
Corona Treatment
of cotton: modifies cuticle and primary wall *Thorsen* 422
Cotton
benzoylated: periodate oxidation of *Chatterjee* 713
crosslinked: in unheated dehydrating atmosphere *Kullman, Reinhardt* 24
flame-retardant: elongation of yarns and fabrics during combustion *Weiss, Wade, Andrews* 892
mixing: effect of on sliver quality, yarn properties, and end breakage *Simpson, Fiori* 327

pad-dry-cure reaction with: fate of monofunctional N-methylol reagent on *Rowland, Cirino, Bullock, Wade, Mason* 220
sliver: irregularities caused by eccentricity in top roller *Balasubramanian, Bhatnagar* 111

Cotton, Chemically Treated
changes in mechanical properties: related to wear in service and laboratory *Sarma, Handu, Verma, Singh* 739
chloroform-included cellulose: structure and stability of *Wade, Creely* 941
corona treatment: modification of cuticle and primary wall *Thorsen* 422
crosslinking of: photoinitiated *Portnoy, Nelson, Margavio, Arthur* 449
development of reactive cotton with appropriate amines: lead to combination of chromophoric and antimicrobial properties *Amin, Abdou, Kamel* 568
DMEU and formaldehyde crosslinks: catalytic effects and selective hydrolysis of *Reinhardt, Kullman, deGruy* 687
effects of phosphoric acid: on physical and chemical properties of fibers *Pandey, Nair* 927
flame-retardant finishes for: effect of pH on *Frank, Drake* 292
flammability of: carboxyethylation with acrylamide under alkaline conditions *Mehta* 825
lead added to modified and unmodified cotton: from sodium plumbite solution *Ward, Benerito* 12
modification of cotton and cotton/polyester blends: with epoxides *Soignet, Berni, Benerito, Pilkington* 225
reaction with DMEC: kinetics studied *Berni, Benerito, Coll, Gonzales* 47
reactions with: internally buffered N-Methylol reagents *Rowland, Wade, Franklin* 869
urea-phosphoric acid hydrolysis of: fine structural changes and final fabric properties studied *Jung, Benerito, Gonzales, Berni* 670
with sodium hydroxide: effect of concentrations on selected properties *Lawson, Hertel* 975

Cotton Fabrics
characterization of crosslinks in: using yarn untwisting index and Cadoxen *Achwal, Soudagar* 919
chemical analysis, physical testing, selective hydrolysis of: used to determine differences in chemical structure resulting from treatment with DMEU and formaldehyde *Reinhardt, Kullman, deGruy* 687
durable-press: development of abrasion resistance and breaking strength through prolonged wet-fixation *Rowland, Bertoniere, Martin* 595
durable-press properties of: effect of pretreatment of fabric on development of durable-press properties by wet-fixation process *Bertoniere, Blouin, Martin, Rowland* 630
durable-press rating of: in relation to yarn untwisting *Rouselle, Nelson* 71
flame-resistant: microscopical survey of treatments based on THPOH-NH_3 *Goynes, Boylston, Muller, Trask* 197
flammability of: dyed with indigo dyes *Timpa, Segal, Drake* 858
flammability of: effect of dyes on all-cotton fabric *Segal, Timpa, Drake* 839
polymerization of calcium acrylate in: *Cirino, Rowland* 479
properties of: after urea-phosphoric acid hydrolysis *Jung, Benerito, Gonzales, Berni* 670
shrinkage control: and for cotton blend knitted fabrics *Black* 606
synthesis of rotproofing agents and application on fabric: *Amin, Abdou, Kamel* 568
wear life: edge wear predicted for normal- and special-finished fabrics *Sarma, Handu, Verma, Singh* 739
wet-fixation durable-press process: effects of polymerization parameters of methylolated melamines on *Bertoniere, Blouin, Martin, Rowland* 140

Cotton Fibers
determination of maturity: with Micronaire using two different techniques *Seshan, Navkal, Sundaram* 835
never-dried: fixation of never-dried state *Williams, Ingram, Peterlin, Woods* 370
never-dried: morphology and transport properties studied *Ingram, Woods, Peterlin, Williams* 96
properties of: effect of sodium hydroxide concentrations on *Lawson, Hertel* 975
variations in yarn strength: related to contribution of fiber properties *El Sourady, Worley, Stith* 301

Cotton Fibers, Single
mercerized—permanent deformation of: after tensile loading and compression *deBoer* 883

Cotton Print Cloth
creasable, wrinkle-resistant: prepared by crosslinking with DMDHEU *Hobart, Mack* 620

Cotton Quality
assessing: functions involving fiber properties used for *Iyengar, Gupta* 492

Cotton Yarn
hairiness meter: efficiency of *Barella, Vigo* 824
pretreatment of: for wash-wear fabrics—slack mercerization with restretching *Murphy, Margavio, Welch* 904
spinning of: distribution of end breaks over chase of cop-build ringframe *Subramanian, Salhotra, Grover* 791

Creasability
in DMDHEU-crosslinked cotton print cloth: fabrics were wrinkle resistant and laundry durable *Hobart, Mack* 620

Crease Recovery
measurement of properties: in cotton yarns and fibers *Venkatesh, Dweltz* 428
model for: in certain fabrics under constant and changing conditions *Chapman* 531

Crimp
analysis of: in multicomponent fibers—development of model (Part I) *Batra* 377
—illustrative example (Part II) *Batra* 386
mechanics of formation: in bicomponent fiber model *Abhiraman* 319

Crosslinking
characterization of: by yarn untwisting index using Cadoxen *Achwal, Soudagar* 919
monofunctional N-methylol reagent: fate of on pad-dry-cure reaction with cotton *Rowland, Cirino, Bullock, Wade, Mason* 220
of cotton: in unheated dehydrating atmosphere *Kullman, Reinhardt* 24
of keratin fibers: changes in revealed by stress-relaxation studies *Mottram, Coad* 557
of modified cotton: photoinitiated *Portnoy, Nelson, Margavio, Arthur* 449
with DMEU and formaldehyde: effects from treatments of cotton with combination of two agents *Reinhardt, Kullman, deGruy* 687
with DMDHEU in cotton print cloth: produces creasable, wrinkle-resistant, laundry-durable fabric *Hobart, Mack* 620

Crosslinking Agents
disposition of: on cellulose *Madan* 946
survey of literature of: and mechanisms as related to wool keratin *Hinton* 233

Curing
dehydration curing: in an unheated dehydrating atmosphere promotes crosslinking in cotton *Kullman, Reinhardt* 24
recurable durable-press fabrics: made possible with hydroxy acids *Franklin, Madacsi, Rowland* 173

Data Handling
computerized system for: for children's sleepwear standard DOC FF 3-71 *Jakes, Smith, Spivak* 966

Deformation
mechanics of: new formulation for twisted continuous-filament yarns, using stress tension in continuum mechanics *Cheng, White, Duckett* 798
permanent, of mercerized single cotton fibers: after tensile loading and compression *deBoer* 883

Degradation
of wool: by commercial enzyme-containing detergents—minimized by formaldehyde *Lewis* 707
photochemical: of aminoazobenzene disperse dyes in ethanolic solution—effect of concentration, water, temperature *Bridgeman, Peters* 639
photochemical: of aminoazobenzene disperse dyes in ethanolic solution—effect of pH and dye structure *Bridgeman, Peters* 645

Dehydration Curing
promotes crosslinking in cotton: producing wrinkle resistance *Kullman, Reinhardt* 24

Depolarization
thermal currents: in keratin fibers *Leveque, Garson, Boudouris* 504

Detergents
enzymes cause damage to wool: minimized with formaldehyde *Lewis* 707

Deuterium Exchange
deuterium-hydrogen-exchange accessibility of cellulose: by use of $D_2{}^{18}O$ and mass spectroscopy *Guthrie, Heinzelman* 981

Diffusion
of disperse dyes: into nylon 66 fibers: dry heat and steam fixation *Worth, White* 483

Donnan Membrane Theory
for equilibrium behavior of ionic dyeing systems: agreement between theory and experiment challenged *McGregor, Ezuddin* 43

Drafting
influence of draft distribution: at drawframe on sliver irregularity *Balasubramanian, Bhatnagar* 111
measurement of dynamic forces in staple slivers: using staple draftometer with "Hall Effect" wattmeter as transducer *Olsen* 852

Drawing
eccentricity in top roller: causes slippage and sliver irregularity *Balsubramanian, Bhatnagar* 111
of Nylon 66 multifilament yarns: effect of on molecular-weight distribution *Sengupta, Singh, Majumdar* 155
Drying
automatic control of: in fabrics *Crow, Slater* 309
of loose fibers in beds: uniformity of distribution of moisture *Young, Nossar, Chaikin* 464
through-convective, of textiles: associated with heat-transport phenomena *Cannon, Johnson, Meenaghan* 827
Durable Press
cotton fabrics: increased abrasion resistance through prolonged wet-fixation *Rowland, Bertoniere, Martin* 595
fabrics made recurable: using hydroxy acids and N-methylol reagents *Franklin, Madacsi, Rowland* 173
process for cotton fabrics: effects of polymerization parameters of methylolated melamines on wet-fixation process *Bertoniere, Blouin, Martin, Rowland* 140
rating of crosslinked cotton fabrics: yarn untwisting in relation to *Rousselle, Nelson* 71
Durable-Press Finishing
by moderated mineral acid catalysis: under mild-curing conditions *Reinhardt, Kullman* 948
Durable-Press Properties
in cotton fabrics: by wet-fixation process—pretreatment effect *Bertoniere, Blouin, Martin, Rowland* 630
Dye Binding
by cellulose: complex nature described *Rattee* 728
by cellulose: complex nature described *Giles* 730
Dyeing
defects measured: in continuous-filament yarns *Sanford, Clardy, Miller* 952
Donnan Membrane Theory: single-ion distribution coefficients introduced to show agreement between theory and experiment *McGregor, Ezuddin* 43
of Nylon 6: with disperse dyes from chlorinated hydrocarbon solvents *Perkins, Hall* 528
properties of modified wool: containing internally deposited acrylic polymers *Needles, Sarsfield* 147
Dyes
aminoazobenzene disperse: photochemical degradation of in ethanolic solution—effect of concentration, water, temperature *Bridgeman, Peters* 639
aminoazobenzene disperse: photochemical degradation of in ethanolic solution—effect of pH and dye structure *Bridgeman, Peters* 645
aminoazobenzene disperse: substituent effects on visible absorption spectra in acidic solution *Peters* 719
binding of (1:1)-metal-complex dyes to proteins: studied by monolayer method *Giles, MacEwan, McIver* 580
cationic and nonionic (disperse): quantitative determination of in PAN polymers *Kissa* 997
distribution of: and inorganic ions between solid polymers and solutions. Part II: conventional descriptions *McGregor, Guion* 433
distribution of: and inorganic ions between solid polymers and solutions. Part III: C I Basic Blue 22 and Acrilan 16® fibers *Guion, McGregor* 439
effect of on flammability: in all-cotton fabric *Segal, Timpa, Drake* 839
indigo: on cotton fabrics to study flammability *Timpa, Segal, Drake* 858
photochemistry of: on synthetic fibers *Irick, Boyd* 558
Dyes, Disperse
diffusion of: into Nylon 66 fibers; dry heat and steam fixation *Worth, White* 483
Dyes, Wool-Reactive
reaction with protein monolayers: film area, compressibility, viscosity measured *Giles, McIver* 587
Dynamic Modulus
of viscose-polyester blends: other mechanical properties also studied *El-Shiekh* 343

Electrophoresis
for fibrous material: for measuring isoelectric pH of wools *Landwehr, Stigter* 45
ESR (Electron Spin Resonance)
study of Cu(II) interaction with wool-keratin: kinetic model *Kokot, Feughelman, Golding* 523

Fabrics
behavior of: apparatus for studying rheological properties in bending *Chapman* 396
cotton and cotton/polyester blends: modified with epoxides *Soignet, Berni, Benerito, Pilkington* 225
drying of: automatic control of *Crow, Slater* 309
durable-press: made recurable with hydroxy acids and N-methylol reagents *Franklin, Madacsi, Rowland* 173
Nomex: effect of light on flammability of *Day, Wiles* 888
spooled: production time estimates for *Abranovic* 574
treated with flame-retardant finishes: morphological studies on *Tomioka, Zeronian* 1
used in tents: tensions measured with varying winds, profiles, etc. *Olofsson* 495
wool: treatments to improve wrinkle recovery *Shishoo, Holst-Wallin, Cednäs* 30
Fabric Testing
for durable-press and flame-retardant properties: after liquid ammonia finishing *Lewin, Rau, Sello* 680
for stress-strain: using photoelastic techniques *Wagner* . . . 77
False Twist
mechanics of: theory of false twist considered; equations developed giving twist variation to keep twist constant *Miura* 21
Fatigue
tensile fatigue behavior of warp yarn: influence on weaving performance *Sippel* 725
Felting
effect on bending and shear properties: of knitted wool fabrics *Stewart, Postle* 192
of natural wool: in water and in mixed solutions *Stigter, Menefee, Landwehr* 454
of wool fabrics: washed at varying pH *Algie, Baird, Foulds, Robinson* 767
Fiber Geometry
relationship between geometry and light-scattering profiles: of single wool fibers *Lynch* 446
surface: azimuthal intensity profiles of scattered light to characterize fiber convolution *Cheng, Duckett* 650
Fiber Migration
as a semi-Markov process: stochastic analysis *Abhiraman, George* 736
in continuous-filament yarns: to study nature and origin of migration *Gupta* 125
in twisted yarn: allowed for by distribution of transverse pressure *Hearle* 394
Response to above: *Dogu* 395
Fibers
average diameter measured: by air-flow *Ray, Keller, Lineberry, Pohle* 363
biocomponent: mechanics of crimp formation in model of *Abhiraman* 319
drying of: uniformity of distribution of moisture in drying beds of loose fibers *Young, Nossar, Chaikin* 464
flexible: determining surface change on with electrophoresis *Landwehr, Stigter* 45
high-modulus: bending limits measured *Schoppee, Skelton* . . 968
high-temperature: a new fiber (HT-4) developed to meet requirements not met by Nomex® *Shivers, Hentschel* 665
loss of in air-vortex spinning system: in polyester, viscose, and blended yarns *Sengupta, Tarafder* 756
mechanical properties: evaluation of changes in due to wrinkle-recovery treatments in wool fabrics *Shishoo* 35
microfibers: formed in melt flows *Tucker, George* 56
multicomponent: model for crimp analysis of; Part I: theoretical development *Batra* 377
multicomponent: model for crimp analysis of; Part II: illustrative example *Batra* 386
never-dried cotton: study of morphology and transport properties *Ingram, Woods, Peterlin, Williams* 96
PAN polymers: quantitative determination of dyes in *Kissa* 997
properties of: functions involving properties used to estimate yarn tenacity *Iyengar, Gupta* 492
strength of: proportion utilized in the single yarn *Iyengar, Gupta* 489
synthetic: friction and lubrication of *Schick* 758
Fibers, Medullated
elimination of: in Indian fleeces *Chatterjee, Arora* 325
Fibrous Material
frictional effects in: behavior described by simple power law relationship *Skelton* 746
Filaments
ultrastructure of: changed during formation in melt-extrusion process *Tucker, George* 56
Filaments, High-Modulus
orthotropic: transverse compressive moduli and yield behavior of *Phoenix, Skelton* 934
Filament Yarns
polyoxyalkylene monoether lubricants on: relation of lubricant structure to frictional properties *Park, Seefried, Bryant* 692
Film-Fiber Networks
geometry of: produced by mechanical cutting *Schoppee, Poisson* 862

Finishes
anti-soil and soil-release: review of studies on soiling of textiles *Venkatesh, Dweltz, Madan, Alurkar* 352
Finishing
flame-retardant: surface morphology studied by SEM *Tomioka, Zeronian* 1
Finishing Agents
cationic surface-active agents: on acrylic polymer surfaces *Wakelyn, Johnson* 75
with cotton: kinetics of reaction of DMEC *Berni, Benerito, Coll, Gonzales* 47
role of liquid ammonia: on durable-press and flame-retardant properties of cotton and cotton/polyester blends *Lewin, Rau, Sello* 680
Fixation
of never-dried state: in cotton fibers *Williams, Ingram, Peterlin, Woods* 370
wet-fixation durable-press process: effects of polymerization parameters of methylolated melamines on *Bertoniere, Blouin, Martin, Rowland* 140
Fixation, Wet-
in cotton fabrics: effect of pretreatment of fabric on development of durable-press properties *Bertoniere, Blouin, Martin, Rowland* 630
Flame Resistance
a new high-temperature fiber, HT-4: exceeds certain properties of Nomex® *Shivers, Hentschel* 665
in cellulose esters: by sulfation and phosphorylation *Sello, Stevens* 700
in cotton fabrics: microscopical survey of treatments based on THPOH-NH_3 *Goynes, Boylston, Muller, Trask* 197
in wool: dyebath application of chlorendic acid for *Friedman, Ash, Fong* 555
in wool/Nomex blends: by mordanting with zirconium *Hoschke* 956
of wool: studied through thermal analysis *Haly* 636
Flame Retardants
cellulose acetate and arnel triacetate: in children's sleepwear, circular knits, and wovens *Vandermaas, Holmes, Zybko* 561
cellulosic: prepared directly from elemental phosphorus *Arney, Kuryla* 921
dyebath application of: for flame-resistant wool *Friedman, Ash, Fong* 994
finishes for chemically-treated cotton: effect of pH on *Frank, Drake* 292
in cotton: elongation of yarns and fabrics during combustion *Weiss, Wade, Andrews* 892
of wool: by fluorozirconate treatment *Gordon, Roberts* 414
Flammability
effect of dyes on: in all-cotton fabric *Segal, Timpa, Drake* . . 839
effect of light on: in Nomex fabric *Day, Wiles* 888
flame-retardant finishes for fabrics: morphological studies on *Tomioka, Zeronian* 1
of carpets: using TRI Flammability Analyzer *Day, Mitton, Wiles* 5
of cotton: after metal-cation-exchanged carboxyethylation *Mehta* 825
of cotton fabrics: dyed with indigo dyes *Timpa, Segal, Drake* 858
of fabrics: heat transfer from *Boone* 399
of sewing threads: a modified bottom-ignition oxygen index for determination of *Jakes, Smith, Spivak* 398
Fluorescence
ultraviolet: used to measure fiber content of cotton/polyester blends *Perkins* 185
Formaldehyde
minimizes wool damage: caused by enzymes in detergents *Lewis* 707
Friction
and lubrication: of synthetic fibers *Schick* 758
effects in fibrous assemblies: behavior described by simple power law relationship *Skelton* 746
interfiber: *via* coefficient of energy dissipation at varying heats and humidities *Duckett, Cheng* 365
relation of lubricant structure to frictional properties: polyoxyalkylene monoether lubricants on filament yarns *Park, Seefried, Bryant* 692
Friction Twisting
studied in re effect of heater temperature and contact time: tensile properties of texturized yarns tested *De, Mukhopadhya, Majumdar* 91

Gamma Radiation
of wool fibers: effect of low doses of Co^{60} on physical properties and structure *Beevers, McLaren* 986
Geometry
of ordered split-film networks: idealized geometrical analysis of networks produced by mechanical cutting *Schoppee, Poisson* 862
relation to light-scattering profiles: of single wool fibers *Lynch* 446
Grafting
on wool: through free-radical formation on protein *Pavlath* . . 658
Grafting, Radiation
of silicone: onto rayon and acetate *Nishide, Shimizu* 900

Hair
human: observation of internal structure of cuticle cell by SEM *Hunter, Garcia* 136
Hairiness
in cotton yarns: efficiency of B-V electronic hairiness meter *Barella, Vigo* 824
Heat Phenomena
humidity and heat effects: on coefficient of energy dissipation *Duckett, Cheng* 365
Heat Transfer
from flammable fabrics: *Boone* 399
in false-twist texturing: *Egambaram, Afify, El-Shiekh* . . . 803
Heat-Transport Phenomena
analysis of: associated with through-convective drying of a textile material *Cannon, Johnson, Meenaghan* 827
Human Hair
internal structure: cuticle cell observed by SEM *Hunter, Garcia* 136
Hydrogen Bonding
blockage of: by fixation of never-dried state in cotton fibers *Williams, Ingram, Peterlin, Woods* 370
Hydrolysis
urea-phosphoric acid: of cotton modified with N-methylolated ethyleneureas *Jung, Benerito, Gonzales, Berni* 670
Hydrolysis, Acid
of mercerized yarns: study of behavior of slack-mercerized and stretched cotton towards hydrolytic degradation *Handu, Mythili, Gupta* 476
Hydrophilicity
of poly(calcium acrylate)-cotton: through study of characteristics *Cirino, Rowland* 479

Ion-Binding
conventional descriptions of: in re the distribution of dye and inorganic ions between solid polymers and solutions *McGregor, Guion* 433
metal to wool: for removal of toxic industrial waste *Masri, Reuter, Friedman* 298
Ion Sorption Equilibria
in cationic dyeing systems: simple theoretical model developed *Guion, McGregor* 439
Irradiation
of chemically modified cotton cellulose: initiated crosslinking *Portnoy, Nelson, Margavio, Arthur* 449
radiation grafting: of silicone onto rayon and acetate *Nishide, Shimizu* 900

Keratin Fibers
aging of: molecular interactions involved in *Feughelman, Robinson, Rigby* 324
crosslinking of: changes in revealed by stress-relaxation studies *Mottram, Coad* 557
depolarization thermal currents in: applied to study of structure and polarization phenomena described *Leveque, Garson, Boudouris* 504
Kinetics
model for Cu(II)/wool interaction: ESR study *Kokot, Feughelman, Golding* 523
of reaction of cotton with DMEC: fabric properties, reaction rates, activation parameters, ir spectra—all discussed *Berni, Benerito, Coll, Gonzales* 47
Kinking
in cellulose microfibrils: angle distribution studied *Manley* . 637
Knitted Fabrics
cotton and cotton blends: shrinkage control for *Black* . . . 606
weft-knitted: performance of open-end, twistless, and ring yarns *Lord, Mohamed, Ajgaonkar* 405
Knits
wool fabrics: bending and recovery properties of *Hamilton, Postle* 336

Laser
for melting cellulose: by rapid heating and cooling to minimize chemical reactions *Nordin, Nyrén, Back* 152
Laser Beam
molten cellulose produced in: additional information to earlier paper (Feb., 1974) *Back, Nordin, Nyrén* 915
Light Phenomena
azimuthal intensity profiles: of scattered light from surfaces to characterize fiber convolution *Cheng, Duckett* 650
light-scattering profiles of single fibers: used to measure and compare within-fiber diameter variability in wool tops *Lynch* 203

photoinitiation of crosslinking: in modified cotton *Portnoy, Nelson, Margavio, Arthur* 449
Light Stability
of flammability properties: in Nomex fabric *Day, Wiles* . . 888
Limiting Oxygen Index
evaluation of: using carpet samples and TRI Flammability Analyzer *Day, Mitton, Wiles* 5
Lubrication
and friction: of synthetic fibers *Schick* 758
relation of lubricant structure to frictional properties: polyoxyalkylene monoether lubricants on filament yarns *Park, Seefried, Bryant* 692

Man-Made Textiles
physical properties of: at different stages of manufacture *Balasubramanian, Nerurkar* 106
Measurement
and comparison of within-fiber diameter variability of wool tops: using light-scattering profiles *Lynch* 203
of crease-recovery properties: in cotton yarns and fibers *Venkatesh, Dweltz* 428
of dyeing defects: in continuous-filament yarns *Sanford, Clardy, Miller* 952
of fiber content: of blends of cotton and optically brightened polyester, by uv fluorescence *Perkins* 185
of fiber diameter: scoured mohair by air-flow method *Ray, Keller, Lineberry, Pohle* 363
of sliver drafting forces: using staple draftometer with "Hall Effect" wattmeter as transducer *Olsen* 852
of stress-strain behavior: of low-modulus textiles under uniform radial straining *Hassenboehler, Nelson, Weiss, Taggart* 188
of yarn diameter and specific volume: new technique described using beads *Carnaby* 121
of yield and fineness: in mohair through core sampling *Lineberry, Ray, Pohle, Johnston* 393
Mechanical and Physical Properties
of cotton and cotton/polyester blends: modified with epoxides *Soignet, Berni, Benerito, Pilkington* 225
of cotton fibers: effect of sodium hydroxide concentrations *Lawson, Hertel* 975
of knitted wool fabrics: effect of felting on *Stewart, Postle* 192
of two-dimensional assembly of generalized linear viscoelastic fibers: bending and creasing studied *Chapman* . . . 306
of viscose-polyester blends: dynamic modulus also analyzed *El-Shiekh* 343
of wool fibers: effected by low doses of Co^{60} gamma radiation *Beevers, McLaren* 986
of wool plain-knitted fabrics: pure bending and recovery studied *Hamilton, Postle* 336
of yarns: interactions of nonaqueous solvents on various yarns studied *Weigmann, Ribnick* 165
of yarns and fibers: studied after modifying characteristics by various treatments and manipulations *Lord, Nichols* . . 783
structural changes in Nylon 6 multifilament yarn: on heat-setting and friction-twisted texturing *Gupta, Majumdar, Seth* 539
Mechanics
of false twist: equations for varying twist to keep constant twist *Miura* 21
Medullation
in fibers of Indian fleeces: scope and practical importance of eliminating *Chatterjee, Arora* 325
Melt Extrusion
microfibers formed during: ultrastructure studied in model *Tucker, George* 56
Mercerization
of cotton cellulose: phase transformations in *Lal* 313
Methylolation
of melamines: effects of polymerization parameters on wet-fixation durable-press process for cotton fabrics *Bertoniere, Blouin, Martin, Rowland* 140
fate of monofunctional N-methylol reagent: on pad-dry-cure reaction with cotton *Rowland, Cirino, Bullock, Wade, Mason* 220
Microscopy
LM, TEM, and SEM: used to survey flame-resistant cotton fabrics *Goynes, Boylston, Muller, Trask* 197
Migration
fiber: as semi-Markov process *Abhiraman, George* 736
Military Application
field and lab wear in military fabrics: abrasive wear examined by SEM *Kirkwood* 545
Missiles
high-speed impact on nylon fabric: photographic investigation of retarding force and transverse critical velocity *Wilde* 772
Models
bicomponent fiber: mechanics of crimp formation in *Abhiraman* 319
for crimp analysis of multicomponent fibers: theoretical development (Part I) *Batra* 377
for crimp analysis of multicomponent fibers: illustrative example (Part II) *Batra* 386
for fabric crease recovery: generalized linear viscoelastic element in parallel with frictional element *Chapman* 531
phase-transformation experiment: to model features of microfiber formation in melt-extrusion of monofilaments *Tucker, George* 56
Mohair
average scoured fiber diameter measured: by air-flow instrument *Ray, Keller, Lineberry, Pohle* 363
sampling: for yield and fineness testing *Lineberry, Ray, Pohle, Johnston* 393
Moisture Distribution
uniformity of: in drying beds of loose fibers *Young, Nossar, Chaikin* 464
Moisture Uptake
of ring and open-end yarns: compared in terry toweling *Lord* 516
Monofilaments
yarn: bending characteristics of *Kim, Hersh, El-Shiekh* 958
Morphology
and mechanical properties: of cellulose acetate fibers grafted with polyacrylonitrile *Siahkolah, Walsh* 895
of fabrics treated with flame-retardant finishes: surface features compared to untreated fabrics *Tomioka, Zeronian* . . 1
of never-dried cotton fibers: and transport properties *Ingram, Woods, Peterlin, Williams* 96

Never-Dried Cotton Fibers
morphology and transport properties: high intrinsic mobility shown *Ingram, Woods, Peterlin, Williams* 96
Nylon
dyeing of Nylon 6: with disperse dyes from chlorinated hydrocarbon solvents *Perkins, Hall* 528
irradiated Nomex: below-break tensile behavior *Morton* . . . 332
Nylon 6 multifilament yarns: effect of drawing and texturizing on molecular-weight distribution *Sengupta, Singh, Majumdar* 155
structural changes in Nylon 6 multifilament yarn: on heat-setting and friction-twisted texturing *Gupta, Majumdar, Seth* 539
Nylon Fabric
high-speed missile impact on: photographic investigation of *Wilde* 772
Nylon 66 Fibers
diffusion of disperse dyes into: dry heat and steam fixation *Worth, White* 483

Orientation-Disorientation
effects in tensioned, mercerized cotton: pretreatment of yarns for wash-wear fabrics *Murphy, Margavio, Welch* . . . 904
Oxidation
accelerated, of cellulose: hypochlorite oxidation in Nickel Hydroxide *Shenai, Shah* 214
accelerated: of cellulose—in presence of cobaltous hydroxide *Shenai, Prasad* 591
periodate: of benzoylated cotton *Chatterjee* 713

Pad-Dry-Cure Reaction
with cotton: monofunctional N-methylol reagent on *Rowland, Cirino, Bullock, Wade, Mason* 220
pH
effect on flame-retardant finishes: for cotton prepared from THPC and various bases *Frank, Drake* 292
Phase Transformation
in cotton cellulose: during mercerization *Lal* 313
Photochemical Effects
degradation in aminoazobenzene disperse dyes: in ethanolic solution—effect of concentration, water, temperature *Bridgeman, Peters* 639
degradation in amionazobenzene disperse dyes: in ethanolic solutions—effect of pH and dye structure *Bridgeman, Peters* 645
Photochemistry
of dyes on synthetic fibers: effects of light/dark cycles and temperature *Irick, Boyd* 558
Photodecomposition
of fluorescent stilbene whiteners: uv irradiation causes isomerization *Holt, Milligan* 181
Photoelasticity
study of stresses in fabrics: compounds evaluated; apparatus, methods, and polariscope developed *Wagner* 77
Photo-oxidation
of fluorescent stilbene brighteners: using uv irradiation *Needles, Seiber* 183

Photostability
of aminoazobenzene disperse dyes in acidic solution: substituent effects on visible absorption spectra described *Peters* 719
of stilbene fluorescent brightened wool: to simulated sunlight *Needles, Seiber, Alger* 315
Physical and Chemical Properties
of cotton fiber: changes due to phosphoric acid treatment *Pandey, Nair* 927
Physical Properties
of cotton, polyester, and polyester/cotton blends: at different stages of manufacture *Balasubramanian, Nerurkar* . . 106
of three-component yarn: made on ICS system *Mohamed, Rochow, Heeralal* 206
Polyacrylonitrile (PAN)
method of observing cationic surfactants on surfaces: by dyeing *Wakelyn, Johnson* 75
Polyacrylonitrile Fiber
cationic and nonionic (disperse) dyes in: determined quantitatively by spectrophotometer *Kissa* 997
Polyethylene
microstructures in filaments: model of formation studied *Tucker, George* 56
Polymerization
of acrylic monomers on wool: a novel method *Rattee, Singh* 600
of calcium acrylate in cotton print cloth: exhibits increases in hydrophilic characteristics *Cirino, Rowland* . . . 479
of methylolated melamines: effects of on wet-fixation durable-press process for cotton fabrics *Bertoniere, Blouin, Martin, Rowland* 140
Processing Performance
and carding efficiency analyzed: for cotton/polyester blends *Simpson, Fiori* 813
Production
time estimates for spooled fabrics: by regression analysis *Abranovic* 574
Properties
physical: strength and elongation of cotton, polyester, and polyester/cotton blends during manufacture *Balasubramanian, Nerurkar* 106
Proteins
dye-binding to: studied by monolayer method *Giles, MacEwan, McIver* 580
free-radical formation on: to improve grafting of polymers to wool *Pavlath* 658
homogeneous high-sulfur fractions of reduced wool: recorded as 220-MHz PMR spectra *Dale, Jones* 778
monolayers: study of reaction with wool-reactive dyes *Giles, McIver* 587
oxidation-soluble: from wool—chemical composition of *Kulkarni* 918
reactions with metal cations: survey using x-ray fluorescence and spectroscopy *Masri, Reuter, Friedman* 298
Proton Magnetic Resonance
spectra of wool: homogeneous high-sulfur fractions recorded at 220 MHz *Dale, Jones* 778

Radiation
carbon-arc and gamma-ray, of Nomex fibers: evaluated for tensile behavior *Morton* 332
Reactivities
of cotton: treated with internally buffered N-methylol reagents *Rowland, Wade, Franklin* 869
of crosslinks: combination of DMEU and formaldehyde furnish new information on treatment of cotton *Reinhardt, Kullman, deGruy* 687
of groups: in DMDHEU *Vail, Arney* 400
Reducing Agents
used to retard yellowing: of fluorescently whitened wool by sunlight *Holt, Milligan, Wolfram* 846
Reduction
partly-reduced-alkylated wool: conditions of time and reagent concentration specified *Friedman, Tillin* 578
Repellency
of oil in wool fabrics: related to critical surface tension and stiffness of coating material *Roitman, Pittman, Ward* 500
Resin Treatment
combined with annealing: to improve wrinkle recovery in wool fabric *Shishoo, Holst-Wallin, Cednäs* 30
Rheological Properties
of fabrics and films in bending: apparatus for studying *Chapman* 396
Rotproofing
relation of properties: to chemical structure of reactive compounds and derivatives *Amin, Abdou, Kamel* 568

Scanning Electron Microscopy
investigation of military fabrics: morphological characteristics of lab and field wear *Kirkwood* 545
used to observe human hair cuticle cell: *Hunter, Garcia* 136
Shrinkage
control for fabrics: cotton and cotton blend knits *Black* . . . 606
Shrinkproofing
of wool: function of added sodium chloride to acid bromate *Makinson, Lead* 726
Soiling
of textiles: and development of anti-soiling and soil-release finishes *Venkatesh, Dweltz, Madan, Alurkar* 352
Solvents, Organic
interactions with textile fibers: effects on mechanical properties of various yarns *Weigmann, Ribnick* 165
Sorption
between various yarns and nonaqueous solvents: effects on mechanical properties studied *Weigmann, Ribnick* 165
by activated carbon fibers: of gases and vapors and dissolved solids *Arons, Macnair, Coffin, Hogan* 874
equilibria: in ionic dyeing systems—extension of basic equations of model *McGregor, Guion* 433
Spectroscopy, Mass
and $D_2{}^{18}O$: for measuring deuterium-hydrogen-exchange accessibility of cellulose *Guthrie, Heinzelman* 981
Spinning
by air-vortex system: fiber loss in *Sengupta, Tarafder* . . . 756
ICS system: structural and physical properties of resultant three-component yarns *Mohamed, Rochow, Heeralal* 206
of cotton: distribution of end breaks over chase of cop-build ringframe *Subramanian, Salhotra, Grover* 791
of single yarns: proportion of fiber strength utilized *Iyengar, Gupta* 489
open-end: yarn evenness in *Lord* 512
open-end yarns: influence of rotor cleanliness on properties of *Barella, Vigo* 612
Static Electricity
in carpets: measured by corona-discharge method *Blakemore* . . 459
Steaming
of wool fabrics: variation in pressing procedures modifies wrinkle recovery *Hayes, Leeder, Taylor* 163
Stress
distribution: and applied tensile forces and torque in twisted, continuous-filament yarns—derived from continuum mechanics *Cheng, White, Duckett* 798
Stress-Strain
in fabrics: studied using photoelastic techniques *Wagner* . . . 77
measurement of behavior: of low-modulus textiles under uniform radial straining Hassenboehler, *Nelson, Weiss, Taggart* 188
Stretch Fabrics
two-way: in pure wool or wool blends—a new approach for achieving *Wasley, Pittman* 403
two-way: effect of fabric structure on properties of two-way stretch fabrics made from elastic, core-spun yarns of cotton and wool blend *Sawhney* 506
Sulfation
of wool: by conc sulfuric acid—for undyed yarn and dyed fabric *Kirkpatrick, Maclaren* 753
Surface-Active Agents
observation of, made easier with: application of colored salts on PAN fibers *Wakelyn, Johnson* 75
Surface Charge
and felting shrinkage: no effect in chlorinated wools *Algie, Baird, Foulds, Robinson* 767
Surface Properties
azimuthal intensity profiles of scattered light from surfaces: used to characterize fiber convolution *Cheng, Duckett* 650
charge on flexible fibers: determined by electrophoresis *Landwehr, Stigter* 45
Surface Tension
related to wool fabric oil repellency: SEM of fabrics with fluoropolymers *Roitman, Pittman, Ward* 500

Tensile Properties
of friction-twisted, texturized yarns: effect of heater temperature and contact time on properties *De, Mukhopadhya, Majumdar* 91
of irradiated nylon (Nomex): below-break behavior tested *Morton* 332
Tension
orientation-disorientation effects in tensioned, mercerized cotton: yarn pretreatment for wash-wear fabrics *Murphy, Margavio, Welch* 904
Tents
air-supported: membrane forces and geometrical characteristics of *Olofsson* 495
Terry Toweling
moisture uptake performance of yarns in: open-end compared to ring-spun *Lord* 516

Testing Apparatus, Equipment, and Procedures
for properties of yarns: after modifying by various treatments and manipulations *Lord, Nichols* . . . 783
Micronaire: for determination of cotton fiber maturity *Seshan, Navkal, Sundaram* . . . 835
stress-strain curves obtained: using photoelastic techniques and materials *Wagner* . . . 77
stress-strain measuring device: for low-modulus textiles *Hassenboehler, Nelson, Weiss, Taggart* . . . 188
to detect crosslinking: in wool keratin; survey of literature on *Hinton* . . . 233
titrating methods: of acidic groups in acrylic fibers *Cegarra, Puente, Valldeperas* . . . 472
Textile Processing
solvent-based: effects of various organic solvents on textile fibers *Weigmann, Ribnick* . . . 165
Texturing
false-twist: heat transfer in *Egambaram, Afify, El-Shiekh* . . 803
Texturizing
of Nylon 6 multifilament yarns: effect of on molecular-weight distribution *Sengupta, Singh, Majumdar* . . . 155
Thermal Analysis
and flame-resistance of wool: *Haly* . . . 636
Thermal Properties
of new fiber (HT-4): exceeds protection of Nomex® in certain cases *Shivers, Hentschel* . . . 665
Thermal Techniques
depolarization thermal currents: in keratin fibers *Leveque, Garson, Boudouris* . . . 504
Torsional Modulus
of wool fibers: as they are extended *Feughelman, Collins* . . . 627
Twist
in continuous-filament yarns: to study fiber migration *Gupta* 125
variation in: with time and pressure *Miura* . . . 21
yarn untwisting index: for characterization of crosslinks—using Cadoxen *Achwal, Soudagar* . . . 919

Viscose Fibers
multicomponent assemblies: bending and creasing studied *Chapman* . . . 306
Viscose-Polyester Blends
studied for dynamic modulus: and other mechanical properties *El-Shiekh* . . . 343

Wash-and-Wear Fabrics
pretreatment of yarns for: orientation-disorientation effects in tensioned, mercerized cotton *Murphy, Margavio, Welch* 904
Wear
of woven cotton fabrics: prediction of edge wear in normal- and special-finished fabrics *Sarma, Handu, Verma, Singh* . . 739
Weaving
performance: influenced by tensile fatique behavior of warp yarns *Sippel* . . . 725
Whitening Agents
fluorescent: sensitize photoyellowing of wool by formation of aromatic aldehydes *Holt, Milligan* . . . 452
fluorescent: use of reducing agents for retarding yellowing by sunlight *Holt, Milligan, Wolfram* . . . 846
fluorescent stilbene: photodecomposed after uv irradiation *Holt, Milligan* . . . 181
Wool
acid bromate shrinkproofing of: function of added sodium chloride *Makinson, Lead* . . . 726
binding of cations to: mercury, cadmium, zinc, antimony, bismuth, tin lead, silver, platinum, palladium, and uranium studied *Masri, Reuter, Friedman* . . . 298
damage to: caused by commercial enzyme-containing detergents; minimized with formaldehyde *Lewis* . . . 707
determination of surface pH: using electrophoresis *Landwehr, Stigter* . . . 45
dyeing of: study of bonding between protein fibers and monosulphonated dyes *Giles, MacEwan, McIver* . . . 580
felting and flocculation of: in water and in mixed solvents *Stigter, Menefee, Landwehr* . . . 454
flame-resistance: studied by thermal analysis *Haly* . . . 636
flame-resistance: dyebath application of chlorendic acid for *Friedman, Ash, Fong* . . . 555
grafting on: through free-radical formation on protein *Pavlath* 658
***in situ* formation of polymeric stilbene fluorescent brighteners:** on surface of *Needles, Seiber, Alger* . . . 315
medullated fibers: importance of elimination of in Indian fleeces *Chatterjee, Arora* . . . 822
reduced: high-sulfur fractions recorded as 220-MHz PMR spectra *Dale, Jones* . . . 778
sulfated: for undyed yarn and dyed fabric *Kirkpatrick, Maclaren* 753

Wool, Chemically Treated
dyeing properties of: containing internally deposited acrylic polymers *Needles, Sarsfield* . . . 147
flame-resistant blends: with Nomex, when wool is mordanted with zirconium *Hoschke* . . . 956
oxidative antifelting: the role of chlorine *Makinson* . . . 856
partly-reduced-alkylated: breaking strength of fibers decreases with increasing reduction time *Friedman, Tillin* . . . 578
polymerization of acrylic monomers on: a novel method *Rattee, Singh* . . . 600
reaction with zinc acetate in DMF: 16% weight gain, soft flexible, moderately beetle resistant *Koenig, Muir, Friedman* 717
with potassium hexafluorozirconate: for flame resistance *Gordon, Roberts* . . . 414
Wool Fabrics
bending and shear properties of: effect of felting on *Stewart, Postle* . . . 192
felting of: washed at varying pH *Algie, Baird, Foulds, Robinson* 767
flame-resistant: dyebath application of flame-retardants for *Friedman, Ash, Fong* . . . 994
oil repellency of: related to critical surface tension and stiffness of coating material *Roitman, Pittman, Ward* . . . 500
plain-knitted: bending and recovery properties of *Hamilton, Postle* . . . 336
two-way stretch: procedure for achieving in pure wool or blends *Wasley, Pittman* . . . 403
wrinkle recovery of: improvement by reacting with Fixapret CPN, annealing, and treating with Synthappret LKF *Shishoo, Holst-Wallin, Cednäs* . . . 30
wrinkle recovery of: modification by variation of steam-pressing procedures *Hayes, Leeder, Taylor* . . . 163
wrinkling properties studied: changes in fiber properties evaluated after wrinkle-recovery treatments *Shishoo* . . . 35
Wool Fibers
absorption of certain metal ions by: industrial mercury extraction, silver, copper, nickel, cobalt, and cadmium waste recovery described *Brady, Freeland, Hine, Hoskinson* . . . 733
amino acid compositions of cells: in presence and absence of heavy metal salts *Kulkarni* . . . 724
changes in properties: root-to-tip variations in natural fibers *Stigter, Menefee, Landwehr* . . . 454
effect of low doses of Co^{60} gamma radiation on: some physical properties and structure *Beevers, McLaren* . . . 986
estimation of staple length and fiber diameter: optimum number of observations needed for. Reply: *Saksena* . . . 915
estimation of staple length and fiber diameter: optimum number of observations needed for. Comments: *Whitwell* . . 914
highly medullated: elimination of in Indian fleeces *Chatterjee, Arora* . . . 325
single: study of relationship between geometry and light-scattering profiles of *Lynch* . . . 446
torsional rigidity of: extended in water *Feughelman, Collins* . 627
within-fiber diameter variability: measured and compared using light-scattering profiles of single fibers *Lynch* . . . 203
Wool Keratin
interaction with Cu(II): studied with ESR *Kokot, Feughelman, Golding* . . . 523
survey and critique of literature: on crosslinking agents and mechanisms *Hinton* . . . 233
Wool Proteins
oxidation-soluble: chemical composition of *Kulkarni* . . . 918
Wool Yellowing
retardation of in fluorescently whitened wool by sunlight: using reducing agents *Holt, Milligan, Wolfram* . . . 846
stilbene fluorescent whitening agents: form aromatic aldehydes which may accelerate photoyellowing *Holt, Milligan* 452
Wrinkle Recovery
improvement of: with addition of lead to cotton *Ward, Benerito* 12
of cotton: treated with internally buffered N-methylol reagents *Rowland, Wade, Franklin* . . . 869
of wool fabrics: modification by variation of steam-pressing procedures *Hayes, Leeder, Taylor* . . . 163
Wrinkle Resistance
by moderated mineral acid catalysis: under mild-curing conditions *Reinhardt, Kullman* . . . 948
dehydration curing: studied in relation to promotion of crosslinking in cotton *Kullman, Reinhardt* . . . 24
Wrinkling
in wool fabrics studied: changes in fiber properties due to wrinkle-recovery treatments of fabrics *Shishoo* . . . 35
in wool fabrics studied: treatments to improve wrinkle recovery using TEFO's conic wrinkling method *Shishoo, Holst-Wallin, Cednäs* . . . 30

Yarn Geometry
twisted continuous-filament: continuum mechanics of deformation formulated *Cheng, White, Duckett* . . . 798

Yarns
continuous-filament: fiber migration in *Gupta* 125
diameter and specific volume measurement: new technique described using wool carpet yarn *Carnaby* 121
elastic, core-spun: of cotton and wool blend—used to produce two-way stretch fabrics *Sawhney* 506
evenness in open-end spinning: error wavelength discussed *Lord* 512
fiber migration in: distribution of transverse pressure in twisted yarn allows for migration *Hearle* 394
Response to above: *Dogu* 395
fiber strength in: proportion utilized in spun yarns *Iyengar, Gupta* 489
friction-twisted, texturized: tensile properties studied in re effect of heater temperature and contact time *De, Mukhopadhya, Majumdar* 91
mercerized: acid hydrolysis of *Handu, Mythili, Gupta* 476
monofilament: bending characteristics of *Kim, Hersh, El-Shiekh* 958
multifilament Nylon 6: structural changes in on heat-setting and friction-twisted texturing *Gupta, Majumdar, Seth* . . . 539
multifilament Nylon 6: effect of drawing and texturizing on molecular-weight distribution *Sengupta, Singh, Majumdar* . . 155
open-end: influence of rotor cleanliness on properties of during spinning *Barella, Vigo* 612
open-end, twistless, and ring: performance of in weft-knitted fabrics *Lord, Mohamed, Ajgaonkar* 405
open-end *vs.* **ring-spun:** compared in terry toweling for moisture uptake *Lord* 516
ring and open-end: modifying characteristics of by various treatments and manipulations *Lord, Nichols* 783
tenacity of: estimated using some functions involving fiber properties *Iyengar, Gupta* 492
three-component: structural and physical properties of yarn made on ICS system *Mohamed, Rochow, Heeralal* 206
warp: tensile-fatigue behavior and influence on weaving performance *Sippel* 725
Yarn Testing
for effects of mixing cotton: tested for sliver quality, yarn properties, end breakage *Simpson, Fiori* 327
for performance: open-end, twistless, and ring yarns tested in weft-knitted fabrics *Lord, Mohamed, Ajgaonkar* 405
for variations in strength: study of contribution of fiber properties *El Sourady, Worley, Stith* 301
Yarn Untwisting
in crosslinked cotton fabrics: in relation to durable-press rating *Rousselle, Nelson* 71
Yellowing
of wool by aromatic aldehydes: formed from stilbene fluorescent whitening agents when irradiated *Holt, Milligan* . . . 452

Zeta Potential
of chlorinated wools: felting shrinkage uneffected by surface charge *Algie, Baird, Foulds, Robinson* 767